

PIG WHP/ESI LIST

This list comprises of products approved for pigs with withholding periods (WHP) and export slaughter intervals (ESI).

The data should correctly list the WHP and ESI as presented on the label as of August 2025.

Products for which the active is of no residue concerns (such as protein pastes and nutritionals) are excluded from this list.

Many 'older' products have not had an ESI established by the APVMA. However, a WHP/ESI may need to be considered in conjunction with your vet.

While every endeavour has been made to capture all pig products, some products may have been inadvertently omitted.

This list is intended as a guide only and producers and veterinarians are encouraged to check product information on PubCris (<https://portal.apvma.gov.au/pubcris>) or directly with the manufacturer.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
93964	AVET Chlorphenamine Maleate 10 mg/mL Injection	CHLORPHENAMINE MALEATE	0 days	Not established	Meat (cattle, sheep, goats and pigs): Zero (0) Days. Any variation by the prescribing veterinarian to the approved use pattern may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Ltd on 1300 28 38 28 before using this product.
90741	[AVet] Ketamine Injection	KETAMINE (AS THE HYDROCHLORIDE)	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from AVET HEALTH PTY LTD on 1300 28 38 28 before using this product
40076	A.C.P. 10 ANAESTHETIC PREMEDICATION, TRANQUILLISER AND TRAVEL SICKNESS STERILE INJECTION	ACEPROMAZINE MALEATE	2 days	Not established	Do not use less than 2 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact Ceva Animal Health on (02) 9652 7000 before using this product.
51369	A.F.S DYNAMUTILIN 125 SOLUTION FOR PIGS AND CHICKENS	TIAMULIN	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	No mention of ESI
94313	Abbey Flunixx Injection	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	DO NOT USE LESS THAN 7 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Abbey Animal health Pty Ltd on 020 8088 0720 or the APVMA website
62394	ABBEY TIAMULIN PREMIX	TIAMULIN FUMARATE	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI, contact Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website before using this product
93224	Abbey TMPS 240mg/mL Injection	TRIMETHOPRIM SULFADOXINE	14 days	Not established	DO NOT USE less than 14 days (cattle, sheep, goats and pigs)	This product does not have an ESI established
84300	ABBEYCHLOR CTC CHLORTETRACYCLINE SOLUBLE POWDER	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic dose - Do not use less than 7 days before slaughter for human consumption. Prophylactic dose - Do not use less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
87488	AbbeyFlor INJECTION FOR CATTLE AND PIGS	FLORFENICOL	12 days	18 days	Pigs: MEAT: DO NOT USE less than 12 days before slaughter for human consumption	PIGS: DO NOT USE less than 18 days before slaughter for export. Before using this product, confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720.
87009	AbbeyFlor ORAL FOR PIGS	FLORFENICOL	12 days	Not established	REMOVE ALL MEDICATED WATER 12 days before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using the product.
86149	AbbeyFlor PREMIX	FLORFENICOL	12 days	15 days	REMOVE ALL MEDICATED WATER 12 days before slaughter for human consumption	DO NOT USE less than 15 days before slaughter for export. The ESI on this label is correct at the time of label approval. Before using this product, confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website
81128	ABBEYFLOR PREMIX CONCENTRATE FOR PIGS	FLORFENICOL	12 days	15 days	Remove all medicated feed 12 days before slaughter for human consumption	Do not use less than 15 days before slaughter for export. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues)
86298	ABBEYLINC 300 INJECTION	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	Do not use less than 2 days before slaughter for human consumption.	Do not use less than 15 days before slaughter for export. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues)
67803	ABBEYLINC ANTIBIOTIC SOLUBLE POWDER	LINCOMYCIN HYDROCHLORIDE	2 days	Not established	Remove all medicated water 2 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the above dose frequency, duration, route, disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
88410	AbbeyLinc PREMIX	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	DO NOT USE less than 1 day (for Pigs fed up to 110 grams Lincomycin/tonne) and 2 days (for Pigs fed up to 220 grams Lincomycin/tonne) before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using the product.
87309	AbbeyMox SA AMOXYCILLIN INJECTION	AMOXYCILLIN TRIHYDRATE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using the product.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
67805	ABBEYNEO ANTIBIOTIC FEED ADDITIVE	NEOMYCIN AS THE SULFATE	20 days	Not established	REMOVE ALL MEDICATED FEED for pigs – 20 days before slaughter for human consumption	Do not use less than 15 days before slaughter for export. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues)
37415	ACEMAV INJECTION 10MG/ML TRANQUILISER ANAESTHETIC PREMEDICANT	ACEPROMAZINE	2 days	Not established	MEAT: DO NOT use less than 2 days before slaughter for human consumption	No mention of ESI
88055	ACESEDATE 10 MG/ML INJECTION	ACEPROMAZINE MALEATE	2 days	Not established	MEAT: DO NOT use less than 2 days before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using this product.
41450	AGRIQUAT DISINFECTANT-SANITIZER-DEODORANT	BENZALKONIUM CHLORIDE	Not established	Not established	No mention of WHP	No mention of ESI
47532	ALAMYCIN AEROSOL TOPICAL SPRAY	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	Nil	0 days	Nil	Animals can be slaughtered for export at zero days after the last treatment.
53087	ALAMYCIN LA 300 OXYTETRACYCLINE INJECTABLE SOLUTION	OXYTETRACYCLINE AS THE DIHYDRATE	28 days	28 days	Do not use less than 28 days before slaughter for human consumption.	Do not use less than 28 days before slaughter for export.
51973	ALAMYCIN SA 100 INJECTION	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	9 days	15 days	Do not use less than 9 days before slaughter for human consumption.	Do not use less than 15 days before slaughter for export. Before using this product, confirm the current ESI from Norbrook on 1800 665 866 or the APVMA website (www.apvma.gov.au/residues)
86689	ALTRESYN ORAL SOLUTION FOR PIGS	ALTRENOGEST	7 days	7 days	DO NOT USE less than 7 days before slaughter for human consumption	DO NOT USE less than 7 days before slaughter for export. Before using this product, confirm the current ESI from Ceva Animal Health on (02) 9652 7000 or the APVMA website
37408	ANAMAV ANAESTHETIC PREMEDICANT	ATROPINE ACEPROMAZINE	Not established	Not established	No mention of WHP	No mention of ESI
62439	ANDROSTAR PLUS BOAR SEMEN EXTENDER POWDER WITH NEOMYCIN	NEOMYCIN SULFATE	7 days	Not established	DO NOT USE less than 7 days before slaughter for human consumption	No mention of ESI
85682	ANIBEX SOLUBLE POWDER FOR PIGS	SODIUM SALICYLATE	2 days	2 days	Do not use less than 2 days before slaughter for human consumption.	DO NOT USE less than 2 days before slaughter for export. Before using this product, confirm the current ESI from Abbey Laboratories Pty Ltd 02 8088 0720 or the APVMA website
41414	ANIGANE	IRON AS AMMONIUM FERRIC CITRATE POTASSIUM AS POTASSIUM CITRATE MANGANESE AS MANGANESE (II) SULFATE SODIUM GLYCEROPHOSPHATE	0 days	0 days	WHP: 0 DAYS	TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI): 0 DAYS
68127	ANTHRAX VACCINE (LIVING SPORE STERNE 34F2 STRAIN)	BACILLUS ANTHRACIS (STERNE 34F2 STRAIN)	42 days	42 days	Do not use less than 42 days before slaughter for human consumption.	Do not use less than 42 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from either VIRBAC on 1800 009 847 or the APVMA website (http://www.apvma.gov.au/residues).
81028	APRAMAX APRAMYCIN SOLUBLE POWDER	APRAMYCIN AS APRAMYCIN SULFATE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
90779	AROVYN INJECTABLE SOLUTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from MSD AnimalHealth Customer Service on 1800 033 461 or the APVMA website (www.apvma.gov.au/residues).
30193	ASEPTOL GERMICIDE, DISINFECTANT AND DETERGENT	CHLORHEXIDINE CETRIMIDE	Nil	0 days	Withholding period: NIL	ESI: 0 days (nil)
93418	ASHOXY OXYTETRACYCLINE 200 MG/ML LA INJECTION	OXYTETRACYCLINE AS THE DIHYDRATE	21 days	21 days	MEAT (Pigs): DO NOT USE less than 21 days before slaughter for human consumption.	Pigs:DO NOT USE less than 21 days before slaughter for export. Before using this product, confirm the current ESI from Ashish Life Science Pvt Limited on (02) 9810 1104 or the APVMA website
58255	AUREOMYCIN SOLUBLE CONCENTRATE	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic use - Remove all medicated water 7 days before slaughter for human consumption. Prophylactic use - Remove all medicated water 5 days before slaughter for human consumption	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
36645	AUROFAC 200 ANTIBIOTIC FEED SUPPLEMENT GRANULATED	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic use - Remove all medicated feed 7 days before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
93473	AVET Trimethoprim Sulfadoxine 240 mg/mL Injection	TRIMETHOPRIM SULFADOXINE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from AVet Health Ltd on 1300 28 38 28 before using this product or the APVMA website
92117	AZACALM NEUROLEPTIC INJECTION FOR PIGS	AZAPERONE	6 hours	Not established	DO NOT USE less than 6 hours before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from the manufacturer on (02) 9810 1104 before using this product.
68946	BAYCOX COCCIDIOCIDE FOR PIGLETS AND CATTLE	TOLTRAZURIL	70 days	Not established	Do not use less than 70 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
87308	Baycox Iron Suspension Injection for Pigs	TOLTRAZURIL GLEPTOFERRON	53 days	70 days	Do not use less than 53 days before slaughter for human consumption.	Do not use less than 70 days before slaughter for export. Before using this product, confirm the current ESI from Bayer Australia Ltd. on 1800 678 368 or the APVMA website (www.apvma.gov.au).
50522	BENACILLIN LONG ACTING PENICILLIN INJECTION	PROCAINE PENICILLIN, BENZATHINE PENICILLIN, PROCAINE HYDROCHLORIDE	30 days	Not established	Do not use less than 30 days before slaughter for human consumption.	This product does not have an ESI established. Note—observing the withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on (02) 8808 3600 before using this product.
37049	BETAMOX INJECTION	AMOXYCILLIN AS AMOXYCILLIN TRIHYDRATE	28 days	Not established	Meat: Do not use less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Before using this product, confirm the current ESI from the manufacturer on (illegible).
52228	BILOSIN 200 TYLOSIN INJECTION	TYLOSIN	3 days	Not established	Do not use less than 3 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187 or the APVMA website (http://www.apvma.gov.au/residues).
68669	BIMOTRIM INJECTION	TRIMETHOPRIM, SULFADOXINE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187 before using this product.
47146	BIMOXYL LA A LONG ACTING AMOXYCILLIN INJECTABLE SUSPENSION	AMOXYCILLIN (as the TRIHYDRATE)	30 days	Not established	Do not use less than 30 day before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187 before using this product.
51173	BIO-COX I20G ANTICOCCIDIAL PREMIX	SALINOMYCIN SODIUM	Nil	Not established	Nil	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
51637	BIVATOP 200 LONG ACTING INJECTABLE	OXYTETRACYCLINE DIHYDRATE	21 days	Not established	Do not use less than 21 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
56846	BOMECTIN ANTIPARASITIC INJECTION FOR CATTLE AND PIGS	IVERMECTIN	28 days	42 days	Do not use less than 28 days before slaughter for human consumption.	Do not use less than 42 days before slaughter for export. Before using this product, confirm the current ESI from Elanco Australasia Pty Ltd on 1800 995 709 or the APVMA website (www.apvma.gov.au/residues).
55463	BOMOX LA LONG ACTING AMOXYCILLIN INJECTION	AMOXYCILLIN AS AMOXYCILLIN TRIHYDRATE	30 days	Not established	MEAT: DO NOT USE LESS THAN 30 DAYS BEFORE SLAUGHTER FOR HUMAN CONSUMPTION	This product does not have an ESI established. For advice on the ESI, contact the distributor on 02 9987 4922 before using this product.
81304	Bounce ADE Injection for Cattle, Sheep and Swine	VITAMIN A PALMITATE CHOLECALCIFEROL ALPHA-TOCOPHERYL (VITAMIN E)	0 days	0 days	WITHHOLDING PERIODS: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from the registration holder on (02) 9499 7370 or the APVMA website.
93119	Buggaoff Repellant and Insecticidal Spray	N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE DI-N-PROPYL ISOCINCHOMERONATE PIPERONYL BUTOXIDE CITRONELLA OIL PYRETHRINS	0 days	Not established	CATTLE, PIGS MEAT: Zero (0) days	An ESI has not been established for this product. Trade advice should be sought from Abbey Laboratory Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues) before using this product.
63989	CALEFLUNIX INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.
61249	CCD CTC 200 Granular Premix	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Prophylactic use - Remove all medicated feed 5 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
54719	CCD CTC CHLORTETRACYCLINE HYDROCHLORIDE WATER SOLUBLE POWDER	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic dose - Do not use less than 7 days before slaughter for human consumption. Prophylactic dose - Do not use less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
59196	CCD MORANTEL I00 WATER SOLUBLE WORMER FOR PIGS	MORANTEL CITRATE	7 days	Not established	Meat: Do not use less than 7 days before slaughter for human consumption.	No mention of an ESI
60483	CCD MORANTEL 30 PREMIX BROAD SPECTRUM ANTHELMINTIC FOR PIGS	MORANTEL CITRATE	Nil	Not established	WHP: Nil	No mention of an ESI

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
42340	CCD OLAQUINDOX 100	OLAQUINDOX	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	No mention of an ESI
41943	CCD OTC 10 SOLUBLE POWDER	OXYTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact the manufacturer on (07) 4122 2599 before using this product.
42339	CCD OTC 100 SOLUBLE POWDER	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	Do not use less than 4 days before slaughter for human consumption.	This product does not have an ESI established.
42338	CCD OTC 200	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	4 days	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
59387	CCD SALINOMYCIN 120 PREMIX	SALINOMYCIN SODIUM	Nil	Not established	Meat: NIL	This product does not have an ESI established.
62043	CCD TILMICOSIN 200 PREMIX	TILMICOSIN PHOSPHATE	14 days	Not established	Do not slaughter for human consumption within 14 days of the last treatment	This product does not have an ESI established.
42336	CCD TRIMETSULPHA (WATER SOLUBLE)	TRIMETHOPRIM SULFADIAZINE	15 days	Not established	Do not use less than 15 days before slaughter for human consumption	This product does not have an ESI established.
60283	CCD TYLOSIN 100 (TYLOSIN PHOSPHATE) PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1300 66 66 38 before using this product.
37401	CETRIDINE CONCENTRATE ANTISEPTIC/DISINFECTANT	CHLORHEXIDINE GLUCONATE CETRIMIDE	Nil	Not established	Nil	This product does not have an ESI established.
38731	CETRIGEN ANTBACTERIAL WOUND AEROSOL	DIETHYLTOLUAMIDE CETRIMIDE	0 days	0 days	MEAT: Zero (0) days	Zero (0) days. Before using this product, confirm the current ESI from Virbac (Australia) Pty Ltd on 1800 242 100 or the APVMA website
37711	CEVA KETAMINE INJECTION	KETAMINE AS KETAMINE HYDROCHLORIDE	28 days	Not established	Do not use less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on (02) 9652 7000 before using this product.
80594	CHLORMIX CTC 200 GRANULAR PREMIX	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Therapeutic dose - Do not use less than 7 days before slaughter for human consumption. Prophylactic dose - Do not use less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
						SAFEMEAT Provisional Russian ESI of 90 days is applied for cattle and pigs whose commodities are destined for export to Russia.
62983	CHLORO-SOL	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Prophylactic dose: Do not use less than 5 days before slaughter for human consumption. Therapeutic dose: Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
93298	CHLORPHENIRAMINE INJECTION	CHLORPHENIRAMINE MALEATE	0 days	Not established	Zero (0) days	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Ashish Life Science Pvt Limited on (02) 9810 1104 before using this product.
56639	CHLORTET 200 GRANULAR FEED ADDITIVE	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Therapeutic use - Remove all medicated feed 7 days before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
50277	COFORTA 100 INJECTABLE PHOSPHORUS SOLUTION	BUTAPHOSPHAN VITAMIN B12 = CYANOCOBALAMIN	0 days	0 days	MEAT: Zero (0) days	TRADE ADVICE—EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Elanco Australasia Pty Ltd on 1800 995 709 or the APVMA website
68287	COLIX INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.
86294	Commodus Injectable Endectocide	DORAMECTIN	35 days	42 days	MEAT: DO NOT USE less than 35 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI with LANDMARK OPERATIONS LIMITED on 1800 448 892 or the APVMA website
45044	COOPERS AMITIK EC CATTLE AND PIG SPRAY	AMITRAZ	0 days	Not established	0 days.	This product does not have an ESI established.
37256	COOPERS ENGEMYCIN 100 OXYTETRACYCLINE HYDROCHLORIDE 100MG/ML INJECTION	OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	Do not use less than 10 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 225 511 before using this product.
81368	COOPERS ERYGUARD VACCINE FOR SHEEP, LAMBS AND PIGS	ERYSIPLOTHRIX RHUSIOPATHIAE - X299 ERYSIPLOTHRIX RHUSIOPATHIAE - 3050	0 days	ESI not required	WITHHOLDING PERIOD: ZERO (0) DAYS	EXPORT SLAUGHTER INTERVAL (ESI): ESI not required.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
36152	COOPERS NILVERM LV ORAL WORMER	LEVAMISOLE HYDROCHLORIDE	3 days	Not established	DO NOT USE less than 3 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Coopers Customer Service on 1800 226 511 before using this product.
36171	COOPERS NILVERM PIG AND POULTRY WORMER	LEVAMISOLE AS LEVAMISOLE HYDROCHLORIDE	3 days	Not established	DO NOT USE less than 3 days before slaughter for human consumption	No mention of an ESI
95120	COXIDOX 50 COCCIDIOCIDE FOR PIGLETS AND CATTLE	TOLTRAZURIL	70 days	Not established	DO NOT USE less than 70 days before slaughter for human consumption	PIGS: An ESI has not been established for this product for pigs. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on (03) 9809 4334 before using this product.
49052	COXISTAC I20 ANTICOCCIDIAL PREMIX FEED ADDITIVE PREMIX	SALINOMYCIN SODIUM	Nil	Not established	Meat: Nil	No mention of an ESI
63230	COXISTAC I20 GRANULAR ANTICOCCIDIAL PREMIX FEED ADDITIVE PREMIX	SALINOMYCIN SODIUM	Nil	Not established	Meat: Nil	No mention of an ESI
81911	COXI-STOP 50 COCCIDIOCIDE FOR PIGLETS AND CATTLE	TOLTRAZURIL	70 days	Not established	Do not use less than 70 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on (02) 6452 4020 before using this product or the APVMA website (http://www.apvma.gov.au/residues).
64660	CTC 200 G MICRO GRANULATE FEED ADDITIVE	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Prophylactic dose: Remove all medicated feed 5 days before slaughter for human consumption. Therapeutic dose: Remove all medicated feed 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
60856	CTC-ECO 200 GRANULAR	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 days	Not established	Therapeutic use - Remove all medicated feed 7 days before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
52210	CTC-ECO ORAL POWDER	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic dose - Do not use less than 7 days before slaughter for human consumption. Prophylactic dose - Do not use less than 5 days before slaughter for human consumption.	An ESI has not been established for this product.
89713	Cura-Linc 790 g/kg Antibiotic Soluble Powder	LINCOMYCIN HYDROCHLORIDE	2 days	Not established	REMOVE ALL MEDICATED WATER TWO days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Note - observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Probus Pharmaceuticals Pty Ltd on 1800 940 556 before using this product.
66024	DALMAZIN	D-CLOPROSTENOL	1 day	1 day	WITHHOLDING PERIODS: CATTLE, PIGS MEAT: DO NOT USE less than 1 day before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 1 day before slaughter for export. Before using this product, confirm the current ESI from Ethical Agents Australia Pty Limited on +61 9262 1388
46128	DECTOMAX INJECTABLE ENDECTOCIDE	DORAMECTIN	35 days	42 days	Pigs 35 days	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI with the manufacturer on 1800 814 883
37258	DEPOCILLIN PROCAINE PENICILLIN 300MG/ML INJECTION	PROCAINE PENICILLIN	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established.
52298	DEXADRESON INJECTION	DEXAMETHASONE AS THE SODIUM PHOSPHATE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established.
37231	DEXAFORT AQUEOUS SUSPENSION OF DEXAMETHASONE AS MIXED ESTERS	DEXAMETHASONE PHENYLPROPIONATE, DEXAMETHASONE SODIUM PHOSPHATE	28 days	Not established	Do not use less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on 1800 033 461 before using this product.
54429	DIARRCELL ANTI-DIARRHOEA POWDER	CATECHU = CATECHU BLACK = CACHOU	Nil	Not established	WITHHOLDING PERIOD: Nil	No mention of an ESI
36730	DL-ACETYL METHIONINE INJECTABLE AMINO ACID SUPPLEMENT	N-ACETYL-DL-METHIONINE	Nil	Not required	WITHHOLDING PERIOD: Nil	EXPORT SLAUGHTER INTERVAL (ESI): Not required.
86188	D-Max DORAMECTIN INJECTION	DORAMECTIN	35 days	42 days	Pigs (MEAT): DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI with Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website www.apvma.gov.au/residues .

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
86852	Dolordyne 50 mg/ml Injection	FLUNIXIN AS FLUNIXIN MEGLUMINE	28 days	Not established	MEAT (CATTLE AND PIGS): DO NOT USE LESS THAN 28 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Pululo Pharm Pty Ltd on 1800 940 556 before using this product.
84269	DORAMAX INJECTABLE ENDECTOCIDE	DORAMECTIN	35 days	42 days	Pigs: DO NOT USE less than 35 days before slaughter for human consumption.	(ESI): DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from The Hunter River Company on (02) 9499 7370 or the APVMA website (www.apvma.gov.au/residues).
87683	DORATRON INJECTION	DORAMECTIN	35 days	42 days	Pigs: DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI with Relyon (Australia) Pty Ltd on (02) 9952 6666 or the APVMA website (www.apvma.gov.au/residues).
67987	DOXALINO 120G GRANULATED FEED ADDITIVE	SALINOMYCIN SODIUM (PRESENT AS THE SODIUM SALT)	0 days	Not established	Meat: Cattle/Pigs/Poultry – Zero (0) days	This product does not have an ESI established. For advice on the ESI, contact the distributor DSM Nutritional Products Pty Ltd on (02) 6922 7015.
91405	Draxxin 25 Injectable Solution	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period	Do not use less than 26 days before slaughter for export. The ESI on this label were correct at the time of label approval. Before using this product, confirm the current ESI from Zoetis Australia Pty Ltd on 1800 814 883 or the APVMA website (www.apvma.gov.au/residues).
60018	DRAXXIN INJECTABLE SOLUTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period	Do not use less than 26 days before slaughter for export. The ESI on this label were correct at the time of label approval. Before using this product, confirm the current ESI from Zoetis Australia Pty Ltd on 1800 814 883 or the APVMA website (www.apvma.gov.au/residues).
37266	DUPLOCILLIN PROCAINE AND BENZATHINE PENICILLIN INJECTION	PROCAINE PENICILLIN, BENZATHINE PENICILLIN	30 days	Not established	Do not use less than 30 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from MSD Animal Health on 1800 033 461 before using this product.
35779	ECOVAC E. COLI VACCINE FOR PIGS	WHOLE CELL E. COLI INCLUDING FIMBRIAL ANTIGENS K88, K99	Nil	Not required	Nil	ESI not required
46409	ECOVACLE- E.COLI/ERYSIPelas/LEPTOSPIROSIS VACCINE FOR PIGS	ERYSIPLOLTHRIX RHUSIOPATHiae WHOLE CELL E. COLI INCLUDING FIMBRIAL ANTIGENS K88, K99 LEPTOSPIRA INTERROGANS SEROVAR POMONA	Nil	Not required	Nil	ESI not required
46163	ECOVACPLE - E.COLI / PARVOVIRUS / ERYSIPelas / LEPTOSPIROSIS VACCINE FOR PIGS	ERYSIPLOLTHRIX RHUSIOPATHiae E. COLI STRAIN - O20:K88 E. COLI STRAIN - O149:K88 E. COLI STRAIN - O64:K99 E. COLI STRAIN - O9:987P PORCINE PARVO VIRUS	Nil	Not established	Nil	No mention of an ESI
36790	ELANCO AF 0091 TYLAN 100 TYLOSIN PHOSPHATE PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	Nil	No mention of an ESI
36806	ELANCO AF0250 TYLAN 250 TYLOSIN PHOSPHATE PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	WHP: Meat (pigs cattle poultry): NIL (at 100g or less tylosin per tonne of per tonne of final feed).	No mention of an ESI
47671	ELANCO AF0460 APRALAN 100 PREMIX	APRAMYCIN	28 days	Not established	WHP: Remove all medicated feed 28 days before slaughter for human consumption.	No mention of an ESI
46076	ELANCO AF0472 PULMOTIL 200 TILMICOSIN PHOSPHATE PREMIX	TILMICOSIN PHOSPHATE	14 days	Not established	Remove all medicated feed 14 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
54172	ELANCO AF0602 PAYLEAN 20 RACTOPAMINE HYDROCHLORIDE PREMIX	RACTOPAMINE HYDROCHLORIDE	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption	TREATED STOCK: Exporters need to comply with the regulations/standards of importing countries with regard to the use of animal health products in livestock. Producers are advised to contact their export slaughter facility for information before giving pigs or turkeys feed to which the product has been added.
54173	ELANCO AF0610 PAYLEAN 100 RACTOPAMINE HYDROCHLORIDE PREMIX	RACTOPAMINE HYDROCHLORIDE	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption	TREATED STOCK: Exporters need to comply with the regulations/standards of importing countries with regard to the use of animal health products in livestock. Producers are advised to contact their export slaughter facility for information before giving pigs or turkeys feed to which the product has been added.
40217	ELANCO AF1300 TYLAN TYLOSIN TARTRATE SOLUBLE	TYLOSIN AS TARTRATE	Nil	Not established	Nil	No mention of an ESI
36796	ELANCO AH0206 TYLAN 200 TYLOSIN INJECTION 200MG/ML	TYLOSIN	3 days	Not established	Pigs - DO NOT USE less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Elanco Australasia Pty Ltd on 1800226324 before using this product.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
55589	ELANCO AH0470 PULMOTIL AC (TILMICOSIN PHOSPHATE) AQUEOUS CONCENTRATE	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
47742	ELANCO AH0635 APRALAN SOLUBLE POWDER	APRAMYCIN	14 days	Not established	MEAT: DO NOT USE less than 14 days before slaughter for human consumption.	No mention of an ESI
69700	ELANCO OVUGEL (TRIPORELIN ACETATE) GEL FOR INTRAVAGINAL USE IN SOWS	TRIPORELIN ACETATE	0 days	0 days	Zero days	Zero days
92653	Elevet + Oxytetracycline LA 200 mg/mL Injectable Solution	OXYTETRACYCLINE AS THE DIHYDRATE	21 days	21 days	Do not use less than 21 days before slaughter for human consumption.	Do not use less than 21 days before slaughter for export. Before using this product, confirm the current ESI from Redcap Solutions Pty Ltd on (02) 9810 1104 or the APVMA website (www.apvma.gov.au/residues).
93320	Elevet+ Acepromazine 10 mg/mL Injection	ACEPROMAZINE MALEATE	2 days	Not established	MEAT (CATTLE, PIGS, SHEEP): DO NOT USE less than 2 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Limited on 1300 28 38 28 before using this product.
92356	Elevet+ Altrenogest Oral Solution for Pigs	ALTRENOGEST	15 days	Not established	DO NOT USE less than 15 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Limited on 1300 28 38 28 before using this product.
92629	Elevet+ Dinoprost Injection	DINOPROST AS DINOPROST TROMETAMOL	1 day	Not established	MEAT (PIGS): DO NOT USE less than 1 day before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Limited on 1300 28 38 28 before using this product.
92550	Elevet+ Doramectin Injectable Endectocide	DORAMECTIN	35 days	42 days	PIGS: DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from AVet Health Pty Ltd on 1300 28 38 28 or the APVMA website (www.apvma.gov.au/residues).
92610	Elevet+ Flunixin Injection	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	MEAT (CATTLE AND PIGS): DO NOT USE LESS THAN 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Limited on 1300 28 38 28 before using this product.
92274	Elevet+ Meloxicam 20 mg/mL Solution for Injection	MELOXICAM	4 days	4 days	MEAT: DO NOT USE less than 4 days for pigs before slaughter for human consumption.	PIGS: DO NOT USE less than 4 days before slaughter for export. Before using this product, confirm the current ESI from AVet Health Pty Ltd on 1300 28 38 28 or the APVMA website (www.apvma.gov.au/residues).
92815	Elevet+ Oxytetracycline 100 mg/mL Injection	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	Do not use less than 10 days before slaughter for human consumption	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from AVet Health PTY LTD on 1300 28 38 28 before using this product.
92633	Elevet+ Oxytetracycline LA 300 mg/mL Injectable Solution	OXYTETRACYCLINE AS THE DIHYDRATE	28 days	28 days	Do not use less than 28 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 28 days before slaughter for export. Before using this product, confirm the current ESI from Avet Health Pty Ltd on 1300 28 38 28 or the APVMA website (www.apvma.gov.au/residues).
92332	Elevet+ Tulathromycin Injection	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from Zoetis on 1800 814 883 or the APVMA website (www.apvma.gov.au/residues).
93244	Elevet+ Tylosin 200 mg/mL Injection for Cattle and Pigs	TYLOSIN	3 days	Not established	PIGS - DO NOT USE less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Avet Health Limited on 1300 28 38 28 before using this product.
86476	Endurador Injectable for Cattle and Pigs	DORAMECTIN	35 days	42 days	PIGS: MEAT: DO NOT USE less than 35 days before slaughter for human consumption	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the ESI with the manufacturer on 1800 940 556 or the APVMA website (www.apvma.gov.au/residues).
70005	ENGAIN 20 RACTOPAMINE HYDROCHLORIDE PREMIX	RACTOPAMINE HYDROCHLORIDE	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
58972	ENTERISOL ILEITIS	LAWSONIA INTRACELLULARIS	0 days	0 days	Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Boehringer Ingelheim Animal Health Australia Pty. Ltd. on 1800 038 037 or APVMA website (www.apvma.gov.au).

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
49013	ENTRODOX 100 G MICROGRANULATE FEED ADDITIVE	OLAQUINDOX	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 03 98741892 or the APVMA website before using this product (http://www.apvma.gov.au/residues).
68155	ENZAPROST T INJECTION	DINOPROST AS DINOPROST TROMETAMOL	1 day	Not established	Pigs: DO NOT USE less than 1 day before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL: (ESI): An ESI has not been established for this product. Trade advice should be sought from Ceva Animal Health Pty Ltd on (02) 9652 7000 before using this product.
51772	EQUIVAC T VACCINE	CLOSTRIDIUM TETANI UF TOXOID	0 days	ESI not required	Meat: Zero (0) days	ESI not applicable.
51771	EQUIVAC TAT 1500IU/ML TETANUS ANTITOXIN	CLOSTRIDIUM TETANI - ANTITOXIN	0 days	ESI not required	Zero (0) days	ESI not applicable.
52668	ERYMICIN 200 INJECTION	ERYTHROMYCIN	7 days	Not established	Do not administer less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
84160	ERYTHROMAX 200 INJECTABLE ANTIBIOTIC FOR LARGE ANIMALS	ERYTHROMYCIN	7 days	Not established	Do not administer less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from the distributor, Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
86289	Eryvac E-Oral (Live) Vaccine for Pigs	ERYSIPLOLTHRIX RHUSIOPATHIAE, STRAIN 31	0 days	0 days	Zero (0) days	Zero (0) days
53385	ERYVAC VACCINE	ERYSIPLOLTHRIX RHUSIOPATHIAE	0 days	ESI not applicable.	Zero (0) days	Trade Advice (Australia Only): ESI not applicable
81585	EUTHANIMAL 40% EUTHANASIA INJECTION	PENTOBARBITONE SODIUM	DO NOT USE	Not established	DO NOT USE in animals that may be used for human or animal consumption.	No mention of an ESI
85136	EXITRAZ EC CATTLE AND PIG SPRAY	AMITRAZ	0 days	Not established	MEAT: Zero (0) days	This product does not have an ESI established. For advice on the ESI, contact The Hunter River Company on (03) 5821 0922 before using this product.
91248	EziCaine Injection	LIGNOCAINE HYDROCHLORIDE	0 days	Not established	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): This product does not have an ESI established. Before using this product, confirm the current ESI from the supplier on 02 8088 0720 or the APVMA website
56153	FERON 200 + B12 INJECTABLE IRON DEXTRAN COMPLEX + VITAMIN B12	IRON AS IRON DEXTRAN, CYANOCOBALAMIN	0 days	0 days	MEAT: Zero (0) days	ESI: ZERO (0) DAYS. Before using this product, confirm the current ESI from Elanco Australasia on 1800 995 709 or the APVMA website (www.apvma.gov.au/residues).
37013	FINADYNE SOLUTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	Meat (pigs): DO NOT USE less than 7 days before slaughter for human consumption.	No mention of an ESI
54232	FLAVECO 40 FEED SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	Meat: Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
54574	FLAVECO 5 FEED SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	Meat: Nil. FLAVECO 5 may be provided to animals up to slaughter.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
59179	FLAVO 40 MICROFLORA MANAGEMENT SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	Meat: Nil	This product does not have an ESI established. For advice on the ESI, contact the distributor on 1300 815 252 before using this product.
53575	FLAVO 80 MICROFLORA MANAGEMENT SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	Meat: Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9810 1104 before using this product.
66272	FLORVETOL	FLORFENICOL	12 days	15 days	Remove all medicated feed 12 days before slaughter for human consumption.	Do not use less than 15 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on 1800 033461 or the APVMA website (http://www.apvma.gov.au/residues).
86633	Flubenol 50 mg/g Oral Premix	FLUBENDAZOLE	7 days	7 days	MEAT (PIGS): REMOVE ALL MEDICATED FEED 7 days before slaughter for human consumption.	PIGS: (ESI) DO NOT USE less than 7 days before slaughter for export. Before using this product, confirm the current ESI from Elanco Australasia on 1800226324 or the APVMA website (www.apvma.gov.au/residues)
48183	FLUMAV FLUNIXIN INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	MEAT (CATTLE PIGS): DO NOT USE less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (07) 3808 1399 before using this product.
93304	FLUNAX FLUNIXIN INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	MEAT (CATTLE PIGS): DO NOT USE less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (02) 9810 1104 before using this product.
50626	FLUNIXON INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
93315	FLUZOLE ORAL WORMER FOR PIGS AND POULTRY	FLUBENDAZOLE	7 days	7 days	MEAT (PIGS): REMOVE ALL MEDICATED FEED 7 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 7 days before slaughter for export. Before using this product, confirm the current ESI from Abbey Laboratories Pty Ltd on 02 8088 0720 or the APVMA website (apvma.gov.au/residues).
37209	FOLLIGON SERUM GONADOTROPHIN 1000 I.U.	GONADOTROPHIN-SERUM	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from the manufacturer on 1800 033 461 or the APVMA website (www.apvma.gov.au/residues).
37208	FOLLIGON SERUM GONADOTROPHIN 20000 I.U.	GONADOTROPHIN-SERUM	Nil	ESI not required	WHP: Nil	EXPORT SLAUGHTER INTERVAL (ESI): ESI not required
37206	FOLLIGON SERUM GONADOTROPHIN 5000 I.U.	GONADOTROPHIN-SERUM	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from the manufacturer on 1800 033 461 or the APVMA website (www.apvma.gov.au/residues).
86744	Forceris Injection	TOLTRAZURIL GLEPTOFERRON	63 days	70 days	Do not use less than 63 days before slaughter for human consumption.	Do not use less than 70 days before slaughter for export. Before using this product, confirm the current ESI from Ceva Animal Health on (02) 9652 7000 or the APVMA website (www.apvma.gov.au/residues).
88614	Fostera Gold PCV Metastim	PORCINE CIRCOVIRUS TYPE I-TYPE 2B CHIMERA INACTIVATED PORCINE CIRCOVIRUS TYPE I-TYPE 2A CHIMERA INACTIVATED	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
87927	Fostera Gold PCV MH	PORCINE CIRCOVIRUS TYPE I-TYPE 2B CHIMERA INACTIVATED PORCINE CIRCOVIRUS TYPE I-TYPE 2A CHIMERA INACTIVATED MYCOPLASMA HYOPNEUMONIAE - INACTIVATED ANTIGEN	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
82297	Fostera PCV MetaStim	CPCV I-2 INACTIVATED SUSPENSION	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
81347	Fostera PCV MH	MYCOPLASMA HYOPNEUMONIAE - INACTIVATED ANTIGEN CPCV I-2 INACTIVATED SUSPENSION	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
52474	GLEPTOSIL IRON INJECTION	GLEPTOFERRON	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
49276	HEALAGEN CONCENTRATE FOR TOPICAL APPLICATION	METACRESOLSULFONIC ACID-FORMALDEHYDE	28 days	28 days	MEAT (CATTLE, PIGS, SHEEP, HORSES) : DO NOT USE less than 28 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. Before using this product, confirm the current ESI from Riverside Veterinary Products Pty Ltd on 02 9602 0747 or the APVMA website (www.apvma.gov.au/residues).
35995	HIDEJECT VITAMIN A, D3 AND E INJECTION	VITAMIN A PALMITATE VITAMIN D3 = COLECALICIFEROL VITAMIN E AS DL-ALPHA TOCOPHERYL ACETATE	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Elanco Australasia on 1800 995 709 or APVMA website (www.apvma.gov.au).
50521	ILIUM ACEPRIL-10 INJECTION TRANQUILLISER, PRE-ANAESTHETIC MEDICATION	ACEPROMAZINE AS ACEPROMAZINE MALEATE	2 days	Not established	2 days	This product does not have an ESI established. For advise on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
56046	ILIUM AMOXYCILLIN BROAD-SPECTRUM ANTIBIOTIC INJECTION	AMOXYCILLIN AS AMOXYCILLIN TRIHYDRATE	14 days	Not established	Meat: Do not use less than 14 days in cattle or pigs before slaughter for human consumption.	No mention of an ESI
50522	ilium Benacillin Long Acting Penicillin Injection	PROCAINE PENICILLIN BENZATHINE PENICILLIN PROCAINE HYDROCHLORIDE	30 days	Not established	DO NOT USE less than 30 days before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from the manufacturer on (02) 8808 3600 before using this product.
52859	ilium DEXASON ANTI-INFLAMMATORY AND GLUCOGENIC STEROID INJECTION	DEXAMETHASONE AS THE SODIUM PHOSPHATE	10 days	Not established	DO NOT USE less than 10 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (02) 8808 3600.
40439	ILIUM FLUNIXIL INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	MEAT: CATTLE, PIGS - DO NOT USE less than 7 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): This product does not have an ESI established. For advice on the ESI, contact Troy Laboratories on (+61) 2 8808 3600 before using this product.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
50269	ILIUM LIGNOCaine 20 Local Anaesthetic Injection	LIGNOCaine HYDROCHLORIDE	0 days	Not established	MEAT: Zero (0) days	An ESI has not been established for this product. For advice on the ESI, contact the manufacturer on 02 8808 3600 before using the product.
62535	ILIUM MELOXICAM 20 ANTI-INFLAMMATORY INJECTION FOR CATTLE AND PIGS	MELOXICAM	4 days	4 days	Do not use less than and 4 days for pigs before slaughter for human consumption.	Do not use less than 4 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from Troy Laboratories on (02) 8808 3600 or the APVMA website (www.apvma.gov.au/residues).
62535	ILIUM MELOXICAM 20 ANTI-INFLAMMATORY INJECTION FOR CATTLE, SHEEP, PIGS AND HORSES	MELOXICAM	4 days	4 days	Do not use less than and 4 days for pigs before slaughter for human consumption.	Do not use less than 4 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from Troy Laboratories on (02) 8808 3600 or the APVMA website (www.apvma.gov.au/residues).
40057	ILIUM OXYTET-200 L.A. LONG-ACTING BROAD-SPECTRUM ANTIBIOTIC INJECTION	OXYTETRACYCLINE	42 days	Not established	Do not use less than 42 days before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
94277	ILIUM Oxytet-200 mg/mL L.A. Long-Acting Broad-Spectrum Antibiotic Injection	OXYTETRACYCLINE AS THE DIHYDRATE	21 days	21 days	DO NOT USE less than 21 days before slaughter for human consumption.	DO NOT USE less than 21 days before slaughter for export. Before using this product, confirm the current ESI from Troy Laboratories on (+61) 2 8808 3600 or the APVMA website (apvma.gov.au/residues).
61108	ILIUM PENTOBARBITONE SODIUM ANAESTHETIC INJECTION	PENTOBARBITONE SODIUM	28 days	Not established	MEAT: DO NOT ADMINISTER LATER THAN 28 DAYS BEFORE SLAUGHTER FOR HUMAN CONSUMPTION.	No mention of an ESI
60521	ILIUM PROPERCILLIN ANTIBIOTIC INJECTION	PROCaine PENICILLIN	5 days	Not established	MEAT: DO NOT USE LESS THAN 5 DAYS BEFORE SLAUGHTER FOR HUMAN CONSUMPTION.	An ESI has not been established for this product. Trade advice should be sought from Troy Laboratories on 02 8808 3600 before using this product.
51718	ILIUM SULPRIM ORAL POWDER	TRIMETHOPRIM SULFADIMIDINE	14 days	Not established	MEAT (CALVES, PIGS, POULTRY): DO NOT USE less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Troy Laboratories on 02 8808 3600 before using this product.
50435	ILIUM SYNTOCIN INJECTION OF SYNTHETIC OXYTOCIN	OXYTOCIN	0 days	Not established	MEAT: Zero (0) days.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9677 9000 before using this product.
61712	ILIUM TOLFEJEC ANTI-INFLAMMATORY INJECTION FOR CATTLE AND PIGS	TOLFENAMIC ACID	6 days	21 days	Pigs - DO NOT USE less than 6 days before slaughter for human consumption.	Pigs: DO NOT USE less than 21 days for pigs before slaughter for export.
51447	ILIUM TRIMEDEXIL ANTI-INFLAMMATORY STEROID INJECTION	DEXAMETHASONE TRIMETHYLACETATE	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product.
51143	ILIUM TRISOPRIM-480 ANTI-BACTERIAL INJECTION	TRIMETHOPRIM SULFADIAZINE	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Troy Laboratories Pty Ltd on 02 8808 3600 before using this product.
88512	ILIUM Tula Injection	TULATHROMYCIN	14 days	26 days	Pigs - DO NOT USE less than 14 days before slaughter for human consumption.	Pigs: DO NOT USE less than 26 days before slaughter for export.
50113	IMPROVAC BOAR TAINT VACCINE FOR MALE PIGS	GNRF - PROTEIN CONJUGATE	0 days	ESI not required	Zero (0) days	TRADE ADVICE (Australia Only) EXPORT SLAUGHTER INTERVAL (ESI): ESI not required
70058	IMPROVAC FOR PIGS	GNRF - PROTEIN CONJUGATE	0 days	0 days	Zero (0) days	ESI: Zero (0) days.
82356	Improvac LV Vaccine for Male Pigs	GNRF - PROTEIN CONJUGATE	0 days	0 days	Zero (0) days	ESI: Zero (0) days.
37188	INCA PIPERAZINE SOLUTION	PIPERAZINE ANHYDROUS	N/A	N/A	No mention of WHP	No mention of an ESI
84739	INDEPENDENTS OWN FLYBAN INSECTICIDAL N-OCTYL BICYCLOHEPTENE AND REPELLENT SPRAY	DICARBOXIMIDE DI-N-PROPYL ISOCINCHOMERONATE PIPERONYL BUTOXIDE PYRETHRINS (PYRETHRUM)	0 days	Not established	Zero (0) days	No mention of an ESI
87667	INDEPENDENTS OWN LEVISTAR PIG AND POULTRY WORMER	LEVAMISOLE HYDROCHLORIDE	3 days	Not established	Pigs: MEAT: DO NOT USE less than 3 days before slaughter for human consumption	Export Slaughter Interval (ESI): An ESI has not been established for this product. Trade advice should be sought from AIRR on (03) 5821 0922 before using this product.
83415	INFLACAM INJECTION	MELOXICAM	4 days	4 days	Do not use less than 4 days before slaughter for human consumption.	Do not slaughter for export less than 4 days after final treatment. The ESI on this label was current at the time of label approval. For advice on the ESI contact Virbac on 1800 009 847 before using this product or the APVMA website (www.apvma.gov.au/residues).
63448	INGELVAC CIRCOFLEX SUSPENSION FOR INJECTION IN PIGS	PORCINE CIRCOVIRUS TYPE 2 ORF2 PROTEIN	0 days	0 days	Zero (0) days	ESI: Zero (0) days.
69810	INGELVAC MYCOFLEX MYCOPLASMA HYOPNEUMONIAE INACTIVATED VACCINE FOR PIGS	CARBOMER MYCOPLASMA HYOPNEUMONIAE - INACTIVATED ANTIGEN	0 days	0 days	Zero (0) days	ESI: Zero (0) days. Before using this product, confirm the current ESI from the Boehringer Ingelheim Animal Health Australia Pty. Ltd. on 1800 808 691 or the APVMA website (www.apvma.gov.au/residues).

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
52164	INTRAMEX INTRAUTERINE ANTISEPTIC PESSARIES	CHLORHEXIDINE DIHYDROCHLORIDE	Nil	Not established	WHP: Nil	No mention of an ESI
87624	INVEST 100 PREMIX	RACTOPAMINE HYDROCHLORIDE	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
86218	INVEST 20 PREMIX	RACTOPAMINE HYDROCHLORIDE	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from ABBEY LABORATORIES PTY LTD on 02 8088 0720 before using this product.
45695	IVOMECL (IVERMECTIN) ANTIPARASITIC INJECTION FOR PIGS	IVERMECTIN	28 days	Not established	Do not treat pigs less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
52739	JURAMATE P PROSTAGLANDIN INJECTION FOR PIGS	CLOPROSTENOL AS THE SODIUM SALT	1 Day	Not established	Do not use less than one day before slaughter for human consumption	This product does not have a ESI established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
36237	JUROX NEOMYCIN SULFATE INJECTION	NEOMYCIN SULFATE	15 days	Not established	Do not use less than 15 days before slaughter for human consumption.	This product does not have an ESI established.
89895	Jurox TMPS Antibacterial Solution for Injection	TRIMETHOPRIM SULFADOXINE	14 days	Not established	MEAT: (CATTLE, SHEEP, PIGS): DO NOT USE less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using the product.
89892	Jurox TMPS Antibacterial Suspension for Injection	TRIMETHOPRIM SULFADIAZINE	28 days	Not established	MEAT (CATTLE, SHEEP, PIG, HORSE): DO NOT USE less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using the product.
91349	KETA-Z 100 INJECTION	KETAMINE (AS THE HYDROCHLORIDE)	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
37147	KEYMIX KEYQUINDOX-100 PIG GROWTH PROMOTANT	OLAQUINDOX	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using the product.
37126	KEYMIX SULPHATRIM ORAL SULPHADIAZINE AND TRIMETHOPRIM MEDICATION	TRIMETHOPRIM, SULFADIAZINE	15 days	Not established	Do not use less than 15 days before slaughter for human consumption.	ESI not established.
91030	Krypton Injection	DORAMECTIN	35 days	42 days	PIGS: DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from Alleva Animal Health on (02) 9810 1104 or the APVMA website (www.apvma.gov.au/residues).
53384	LEPTO-ERYVAC VACCINE	ERYSIPLOLTHRIX RHUSIOPATHIAE LEPTOSPIRA BORGPETERSENII SEROVAR TARASSOVI LEPTOSPIRA INTERROGANS SEROVAR POMONA	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
46408	LEVAC - ERYSIPELAS/LEPTOSPIROSIS VACCINE FOR PIGS	ERYSIPLOLTHRIX RHUSIOPATHIAE LEPTOSPIRA INTERROGANS SEROVAR POMONA	Nil	ESI not required	WHP: Nil	EXPORT SLAUGHTER INTERVAL (ESI): ESI not required.
95029	LEVACARE LV ORAL DRENCH	LEVAMISOLE	3 days	Not established	DO NOT USE less than 3 days before slaughter for human consumption. REMOVE ALL MEDICATED FEED 3 days before slaughter for human consumption.	Pigs and poultry: An ESI has not been established for this product. Before using this product, confirm the current ESI from AURA Laboratories Limited on 0064221537241 or the APVMA website (apvma.gov.au/residues).
94578	LIDOVET ANAESTHETIC INJECTION	LIDOCAINE AS LIDOCAINE HYDROCHLORIDE	0 days	Not established	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from the manufacturer on 02 9499 7370 before using this product.
37429	LIGNOMAV 20MG/ML LOCAL ANAESTHETIC	LIGNOCaine AS LIGNOCaine HYDROCHLORIDE	0 days	Not established	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from the manufacturer on (07) 3808 1399 before using this product
92903	LINCOJECT 300 MG/ML ANTIBIOTIC INJECTION	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	DO NOT USE less than 2 days before slaughter for human consumption.	This product does not have an ESI established.
51987	LINCOMIX 800 ANTIBIOTIC SOLUBLE POWDER	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	Remove all medicated water 2 days before slaughter for human consumption.	This product does not have an ESI established.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
38702	LINCOMIX ANTIBIOTIC PREMIX	LINCOMYCIN	2 days	Not established	Do not use less than the following periods before slaughter for human consumption: Pigs fed up to 110 grams lincomycin/tonne 1 day. Pigs fed 220 grams lincomycin/tonne 2 days.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 814 883 before using this product.
38714	LINCOMIX ANTIBIOTIC SOLUTION 300MG/ML	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	Do not use less than 2 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 814 883 before using this product.
89477	LincoRx 300 mg/mL	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	Do not use less than 2 days before slaughter for human consumption.	An ESI has not been established for this product. For advice on the ESI contact Probus Pharmaceuticals Pty Ltd on 1800 940 556 or the APVMA website.
56716	LINCO-SOL WATER SOLUBLE POWDER	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	2 days	Not established	REMOVE ALL MEDICATED WATER 2 days before slaughter for human consumption	An ESI has not been established for this product. Trade advice should be sought from Prime Animal Health on (03) 9809 4334 before using this product.
86913	LINCO-SPEC INJECTION	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	21 days	Not established	PIGS (MEAT): DO NOT USE less than 21 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
86922	LINCO-SPEC PREMIX	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	1 day	Not established	DO NOT USE less than 1 day before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact Abbey Animal Health Pty Ltd on 02 8088 0720.
86919	LINCO-SPEC SOLUBLE POWDER FOR POULTRY AND SWINE	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	8 days	Not established	SWINE: DO NOT USE less than 8 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
38692	LINCO-SPECTIN ANTIBIOTIC INJECTABLE SOLUTION	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE, SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	21 days	Not established	Do not use less than 21 days before slaughter for human consumption	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 814 883 before using this product.
48182	LINCO-SPECTIN ANTIBIOTIC SOLUBLE POWDER FOR POULTRY AND SWINE	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE, SPECTINOMYCIN AS SPECTINOMYCIN SULFATE TETRAHYDRATE	8 days	Not established	Do not use less than 8 days before slaughter for human consumption.	This product does not have an ESI established.
38701	LINCO-SPECTIN PREMIX ANTIBIOTIC FOR SWINE	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE, SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	1 day	Not established	Do not use less than 1 day before slaughter for human consumption.	This product does not have an ESI established.
35967	LOTAGEN ASTRINGENT/ANTISEPTIC CONCENTRATE	METACRESOLSULFONIC ACID-FORMALDEHYDE	28 days	Not established	MEAT: Do not use less than 28 days before slaughter for human consumption	This product does not have an ESI established.
65003	LOXICOM INJECTION FOR CATTLE AND PIGS	MELOXICAM	6 days	8 days	Do not use less than 6 days before slaughter for human consumption.	Do not use less than 8 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on 1800 665 866 or the APVMA website (http://www.apvma.gov.au/residues/).
38700	LUTALYSE INJECTABLE PROSTAGLANDIN 5 MG PER ML	DINOPROST AS DINOPROST TROMETAMOL	1 day	Not established	Pigs: 1 day	This product does not have an ESI established.
88610	LYDAXX INJECTABLE SOLUTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 1800 035 355 or the APVMA website (www.apvma.gov.au/residues/).
62077	M+PAC MYCOPLASMA HYOPNEUMONIAE INACTIVATED VACCINE FOR PIGS	MYCOPLASMA HYOPNEUMONIAE STRAIN J	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
94261	MACROSYN TULATHROMYCIN 100 MG/ML INJECTION FOR CATTLE AND PIGS	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the distributor on 02 9810 1104 or the APVMA website (www.apvma.gov.au/residues/).
51755	MAMYZIN ESTER OF BENZYL PENICILLIN FOR INTRAMUSCULAR INJECTION	PENETHAMATE HYDRIODIDE	5 days	Not established	MEAT: DO NOT USE less than 5 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL(ESI): This product dose not have an ESI established. For advice on the ESI, contact the manufacturer on 1800 038 037 before using the product.
65595	MAPRELIN	PEFORELIN	0 days	0 days	Zero days	Zero days

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
94937	MATE ORAL PROGESTAGEN FOR PIGS	ALTRENOGEST	15 days	Not established	MEAT: DO NOT USE less than 15 days before slaughter for human consumption. REMOVE ALL MEDICATED FEED 15 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
92177	MAXICAM 20 MG/ML SOLUTION FOR INJECTION	MELOXICAM	4 days	4 days	4 days for pigs	PIGS: DO NOT slaughter for export less than 4 days after final treatment.
94714	Meloxiway 20 mg/mL Injection	MELOXICAM	4 days	4 days	Pigs: DO NOT USE less than 4 days before slaughter for human consumption.	PIGS: DO NOT USE less than 4 days before slaughter before export
87070	Meloxxi INJECTION	MELOXICAM	4 days	4 days	4 days for pigs, NOTE: Repeat doses (more than TWICE) or higher doses could result in residues above the MRLs unless the label withholding period is extended. The prescribing veterinarian would need to advise on an extended withholding period.	PIGS: DO NOT USE less than 4 days before slaughter for export.
54061	METACAM 20MG/ML SOLUTION FOR INJECTION	MELOXICAM	4 days	4 days	4 days for pigs, NOTE: Repeat doses (more than TWICE) or higher doses could result in residues above the MRLs unless the label withholding period is extended. The prescribing veterinarian would need to advise on an extended withholding period.	Do not slaughter for export less than 4 days after final treatment.
88026	Metacoxx 20 mg/mL Solution for Injection for Cattle, Pigs, Horses and Sheep	MELOXICAM	4 days	4 days	4 days for pigs, NOTE: Repeat doses (more than TWICE) or higher doses could result in residues above the MRLs unless the label withholding period is extended. The prescribing veterinarian would need to advise on an extended withholding period.	Do not slaughter for export less than 4 days after final treatment.
50609	MOXYLAN LA LONG ACTING INJECTION BROAD SPECTRUM ANTIBIOTIC	AMOXYCILLIN AS AMOXYCILLIN TRIHYDRATE	28 days	Not established	MEAT (Cattle, Sheep and Pigs): DO NOT USE less than 28 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using this produc
50608	MOXYLAN READY-TO-USE INJECTION BROAD SPECTRUM ANTIBIOTIC	AMOXYCILLIN AS AMOXYCILLIN TRIHYDRATE	14 days	Not established	Pigs: 14 days	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using this product
50142	NATUZYME FEED ENZYME FOR PIGS AND POULTRY	6-PHYTASE (I.U.B. NO. 3.1.3.26) ALPHA AMYLASE BETA GLUCANASE CELLULASE PROTEASE XYLANASE	Nil	Not established	WHP: Nil	No mention of an ESI
53610	NEOVAC VACCINE	ESCHERICHIA COLI K88AC PILUS ANTIGENS ESCHERICHIA COLI 987P PILUS ANTIGENS ESCHERICHIA COLI K99 PILUS ANTIGENS ESCHERICHIA COLI K88AB PILUS ANTIGENS	0 days	ESI not applicable	Zero (0) days	ESI not applicable
67178	NEOVE FLUNIXIN MEGLUMINE INJECTION	FLUNIXIN MEGLUMINE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on 0401 583 313 before using this product.
87029	Neovedor Injectable Endectocide	DORAMECTIN	35 days	42 days	Pigs: DO NOT USE less than 35 days before slaughter for human consumption.	Export Slaughter Interval (ESI): DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from Neove Pharma Australia Pty Ltd on (02) 9264 3210 or the APVMA website (www.apvma.gov.au/residues).
89089	NEOVEXX INJECTABLE SOLUTION	TULATHROMYCYIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on (02) 9264 3210 or the APVMA website (www.apvma.gov.au/residues).
36239	NIRAMINE INJECTION	CHLORPHENIRAMINE MALEATE	0 days	Not established	Nil	This product does not have an ESI established.
66803	NORFENICOL 300 MG/ML SOLUTION FOR INJECTION FOR CATTLE AND PIGS	FLORFENICOL	18 days	22 days	Do not use less than 18 days before slaughter for human consumption.	Do not use less than 22 days before slaughter for export. Before using this product confirm the current ESI from the distributor on 1800 665 866 or the APVMA website (www.apvma.gov.au/residues).
52201	NUFLOR LA INJECTABLE SOLUTION	FLORFENICOL	12 days	12 days	Do not use less than 12 days before slaughter for human consumption.	Do not use less than 12 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on 1800 033 461 or the APVMA website (http://www.apvma.gov.au/residues).
52325	NUFLOR ORAL FOR PIGS	FLORFENICOL	12 days	Not established	MEAT: REMOVE ALL MEDICATED WATER 12 days before slaughter for human consumption	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Intervet/MSD Animal Health on 1800 033 461 before using this product
60369	NUFLOR PIG PREMIX	FLORFENICOL	12 days	15 days	Remove all medicated feed 12 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may require extending the approved withholding period.	Do not use less than 15 days before slaughter for export. Before using this product, confirm the current ESI from MSD Animal Health on 1800 033 461 or the APVMA website (www.apvma.gov.au/residues).

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
66767	NUTRICTC 200G FEED ADDITIVE PREMIX	CHLORTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Therapeutic use - remove all medicated feed 7 days before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days before slaughter for human consumption.	An ESI has not been established for this product.
65581	NUTRIFLAV 40 FEED SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	WHP: Nil	An ESI has not been established for this product.
84760	NV AMINOMAX INJECTION	DEXTROSE MONOHYDRATE CALCIUM CHLORIDE DIHYDRATE POTASSIUM CHLORIDE MAGNESIUM SULFATE	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
63865	NV COPHOS B FORTE INJECTION	CYANOCOBALAMIN, BUTAPHOSPHAN	Nil	ESI not required	Nil	ESI not required
64554	NV ELECTRO INJECTION	DEXTROSE MONOHYDRATE CALCIUM CHLORIDE DIHYDRATE POTASSIUM CHLORIDE MAGNESIUM SULPHATE	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
40323	OTC 200 FOR FEED MEDICATION	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	5 days	Not established	Remove all medicated feed 5 days before slaughter for human consumption.	This product does not have an ESI established.
69700	OVUGEL (TRIPORELIN ACETATE) GEL FOR INTRAVAGINAL USE IN SOWS	TRIPORELIN ACETATE	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
54186	OXY-ECO BASE	OXYTETRACYCLINE AS THE DIHYDRATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product.
52211	OXY-ECO ORAL POWDER	OXYTETRACYCLINE HYDROCHLORIDE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact the manufacturer on (02) 9672 7944 before using this product.
90134	Oxy-Flex Oxytetracycline Injection	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	PIGS: DO NOT USE less than 10 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): This product does not have an ESI established. For advice on the ESI, contact Prime Animal Health on (03) 9809 4334 before using this product.
40512	OXYMAV 100 SOLUBLE BROADSPECTRUM ANTIBIOTIC POWDER	OXYTETRACYCLINE	21 days	Not established	Do not use less than 21 days before slaughter for human consumption.	An ESI has not been established for this product.
93784	OXY-SOL ANTIBIOTIC SOLUBLE POWDER	OXYTETRACYCLINE HYDROCHLORIDE	7 days	Not established	REMOVE ALL MEDICATED FEED / WATER 7 days before slaughter for human consumption.	An ESI has not been established for this product. Trade Advice should be sought from Dox-al Australia Pty Ltd on 03 9809 4334 before using this product.
92653	Oxytetracycline LA 200 mg/mL Injectable Solution	OXYTETRACYCLINE AS THE DIHYDRATE	21 days	21 days	DO NOT USE less than 21 days before slaughter for human consumption.	DO NOT USE less than 21 days before slaughter for export. Before using this product, confirm the current ESI from AVet Health Pty Ltd on 1300 28 38 28 or the APVMA website (www.apvma.gov.au/residues).
37234	P.G. 600 INJECTION OF SERUM GONADOTROPHIN-CHORIONIC GONADOTROPHIN-SERUM	GONADOTROPHIN-CHORIONIC GONADOTROPHIN-SERUM	0 days	Not established	WITHHOLDING PERIOD: Zero (0) days.	Before using this product, confirm the current ESI from the manufacturer on 1800 033 461 or the APVMA website (www.apvma.gov.au/residues).
90253	PASTORAL AG DORALAB INJECTION FOR CATTLE AND PIGS	DORAMECTIN	35 days	42 days	PIGS: DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from the distributor on (03) 5821 0922 or the APVMA website (www.apvma.gov.au/residues)
59193	PENETHAJECT ANTIBIOTIC INJECTION	PENETHAMATE HYDROIODIDE	5 days	Not established	MEAT: DO NOT USE less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Elanco Australasia on 1800 995 709 before using this product.
92623	PenethaMax Injection	PENETHAMATE HYDROIODIDE	5 days	Not established	MEAT: DO NOT USE less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. Before using this product, confirm the current ESI from Abbey Animal Health Pty Ltd on 028088 0720 or the APVMA website (www.apvma.gov.au/residues)
93915	PENEZIN ANTIBIOTIC INJECTION	PENETHAMATE HYDROIODIDE	5 days	Not established	MEAT: DO NOT USE less than 5 days before slaughter for human consumption.	An ESI has not been established for this product. =Trade advice should be sought from Alleva Animal Health on 1-800 ALLEVA (1-800 255 382) before using this product.
33021	PHARMACHEMICAL MALDISON 50 INSECTICIDE	MALDISON	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on 0738680333 before using this product.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
41228	PHARMA-CHEMICAL PIPERAZINE SOLUTION FOR THE REMOVAL OF ROUNDWORMS FROM PIGS, POULTRY, PIGEONS & CAGE BIRDS	PIPERAZINE CITRATE	Nil	Not established	WHP: Nil	No mention of an ESI
61977	PHARMASIN 100 GRANULAR PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	WHP: Nil	This product does not have an ESI established.
90085	PHARMASIN 1000 MG/G GRANULES FOR USE IN DRINKING WATER	TYLOSIN AS TARTRATE	0 days	Not established	MEAT: Zero (0) days.	EXPORT SLAUGHTER INTERVAL (ESI): An ESI has not been established for this product. Trade advice should be sought from Nutriment Health Pty Ltd on 1300 815 262 before using this product.
87518	PHARMASIN 200 mg/mL Solution for Injection	TYLOSIN	3 days	Not established	MEAT: Pigs – DO NOT USE less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Trade advice should be sought from Nutriment Health Pty Ltd on 1300 815 262 before using this product.
61913	PHARMASIN 250 GRANULAR PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	MEAT - NIL (at 100g or less tylosin per tonne of final feed).	No mention of an ESI
89473	Pharmtet 300 mg/mL Oxytetracycline Injection for Cattle, Sheep and Pigs	OXYTETRACYCLINE AS THE DIHYDRATE	28 days	28 days	Pigs - DO NOT USE less than 28 days before slaughter for human consumption.	Pigs: DO NOT USE less than 28 days before slaughter for export. Before using this product, confirm the current ESI from Probus Pharmaceuticals Pty Ltd on 1800 940 556 or the APVMA website (apvma.gov.au/residues).
93430	Pharmtet Oxytetracycline Topical Spray for Cattle, Pigs and Sheep	OXYTETRACYCLINE HYDROCHLORIDE	0 days	Not established	Meat: Pigs - Zero (0) days	An ESI has not been established for this product in pigs. Before using this product, confirm the current ESI from the registration holder on 1800 940 556 or the APVMA website (apvma.gov.au/residues).
90164	Phosforte B Injection	BUTAPHOSPHAN CYANOCOBALAMIN (VITAMIN B12)	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
46661	PLEURAVAC - PLEUROPNEUMONIA VACCINE FOR PIGS	ISOTONIC MEDIUM NOT LESS THAN 18 HU/ML HAEMOLYSIN TOXOID ACTINOBACILLUS PLEUROPNEUMONIAE SEROVAR 15 ACTINOBACILLUS PLEUROPNEUMONIAE SEROVAR I	Nil	ESI not required	Nil	ESI not required
46164	PLEVAC PARVOVIRUS/LEPTOSPIROSIS/ERYSIPelas VACCINE FOR PIGS	ERYSIPEROLOTHRIX RHUSIOPATHIAE LEPTOSPIRA INTERROGANS SEROVAR POMONA PORCINE PARVO VIRUS	Nil	0 days	Nil	ESI Zero (0) days
88419	Pneumotil PG	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
63910	PORCILIS APPVAC PLEUROPNEUMONIA VACCINE FOR PIGS	ACTINOBACILLUS PLEUROPNEUMONIAE SEROVAR 15 ACTINOBACILLUS PLEUROPNEUMONIAE SEROVAR I ACTINOBACILLUS PLEUROPNEUMONIAE SEROVAR 7 HAEMOLYSIN TOXOID	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
91825	PORCILIS LAWSONIA IDAL INACTIVATED VACCINE FOR PIGS	LAWSONIA INTRACELLULARIS STRAIN SPAH-08	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
91351	Porcilis Lawsonia Inactivated Vaccine for Pigs	LAWSONIA INTRACELLULARIS STRAIN SPAH-08	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
84901	PORCILIS PCV IDAL EMULSION FOR INJECTION FOR PIGS	PORCINE CIRCOVIRUS TYPE 2 ORF2 SUBUNIT ANTIGEN	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
82241	PORCILIS PCV M HYO	PORCINE CIRCOVIRUS TYPE 2 ORF2 SUBUNIT ANTIGEN MYCOPLASMA HYOPNEUMONIAE - INACTIVATED ANTIGEN	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
64025	PORCILIS PCV VACCINE	PORCINE CIRCOVIRUS TYPE 2 ORF2 SUBUNIT ANTIGEN	0 days	0 days	MEAT: Zero (0) days	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days.
53608	PORCINE PARVAC VACCINE	PORCINE PARVO VIRUS - INACTIVATED	0 days	ESI not applicable	MEAT: Zero (0) days	ESI not applicable

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
86212	Pracetam 400mg/mL Oral Solution for Pigs	PARACETAMOL	3 days	3 days	MEAT: REMOVE ALL MEDICATED WATER Three (3) days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than three days before slaughter for export.
90160	Prime Doramectin Injection	DORAMECTIN	35 days	42 days	PIGS: DO NOT USE less than 35 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export. The ESI on this label was correct at time of label approval. Before using this product, confirm the current ESI with Prime Animal Health on (03) 9809 4334, or from the APVMA website (www.apvma.gov.au/residues).
92360	Prime SowSync Oral Solution	ALTRENOGEST	15 days	Not established	MEAT: DO NOT USE less than 15 days before slaughter for human consumption	An ESI has not been established for this product.
90158	Prime Tulathromycin Injection	TULATHROMYCIN	14 days	26 days	MEAT: DO NOT USE less than 14 days before slaughter for human consumption.	Pigs: DO NOT USE less than 26 days before slaughter for export
87953	PROCOPEN 300 SUSPENSION FOR INJECTION	PROCAINE PENICILLIN	5 days	Not established	DO NOT USE less than 5 days before slaughter for human consumption	An ESI has not been established for this product
56182	PROMOTOR L	HYDROLYSED VEGETABLE PROTEIN VITAMIN A BIOTIN-D INOSITOL VITAMIN B12 = CYANOCOBALAMIN VITAMIN B3 = NICOTINAMIDE VITAMIN B15 (PANGAMIC ACID) PANTOTHENOL-D = PANTHENOL-D VITAMIN B2 = RIBOFLAVIN VITAMIN B1 (THIAMINE HYDROCHLORIDE) VITAMIN B6 (PYRIDOXINE HYDROCHLORIDE) VITAMIN D3 VITAMIN K = MENADIONE SODIUM BISULFITE	Nil	Not established	WHP: Nil	No mention of an ESI
47735	ProN8ure Liquid Concentrated Multi-Strain Probiotic for Animals and Birds	BIFIDOBACTERIUM BIFIDUM ENTEROCOCCUS FAECIUM LACTOBACILLUS DELBRUECKII SUBSPECIES BULGARICUS LACTOBACILLUS ACIDOPHILUS LACTOBACILLUS PLANTARUM LACTOBACILLUS RHAMNOSUS STREPTOCOCCUS SALIVARIUS SUBSPECIES THERMOPHILUS	Nil	0 days	WHP: Nil	Zero (0) days
58902	PRON8URE PASTE	BIFIDOBACTERIUM BIFIDUM ENTEROCOCCUS FAECIUM LACTOBACILLUS DELBRUECKII SUBSPECIES BULGARICUS LACTOBACILLUS ACIDOPHILUS LACTOBACILLUS PLANTARUM LACTOBACILLUS RHAMNOSUS STREPTOCOCCUS SALIVARIUS SUBSPECIES THERMOPHILUS	0 days	0 days	Zero (0) days	Zero (0) days
47737	PRON8URE POWDER MULTI-STRAIN PROBIOTIC FOR ANIMALS AND BIRDS	BIFIDOBACTERIUM BIFIDUM ENTEROCOCCUS FAECIUM LACTOBACILLUS DELBRUECKII SUBSPECIES BULGARICUS LACTOBACILLUS ACIDOPHILUS LACTOBACILLUS PLANTARUM LACTOBACILLUS RHAMNOSUS STREPTOCOCCUS SALIVARIUS SUBSPECIES THERMOPHILUS	Nil	ESI not required	Nil	ESI not required

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
49914	PRONBURE PROFESSIONAL CONCENTRATED MULTI-STRAIN PROBIOTIC FOR ANIMALS AND BIRDS	BIIFIDOBACTERIUM BIIFIDUM ENTEROCOCCUS FAECIUM LACTOBACILLUS DELBRUECKII SUBSPECIES BULGARICUS LACTOBACILLUS ACIDOPHILUS LACTOBACILLUS PLANTARUM LACTOBACILLUS RHAMNOSUS STREPTOCOCCUS SALIVARIUS SUBSPECIES THERMOPHILUS	Nil	ESI not required	Nil	ESI not required
47736	PRONBURE SOLUBLE CONCENTRATED MULTI-STRAIN PROBIOTIC FOR ANIMALS AND BIRDS	BIIFIDOBACTERIUM BIIFIDUM ENTEROCOCCUS FAECIUM LACTOBACILLUS DELBRUECKII SUBSPECIES BULGARICUS LACTOBACILLUS ACIDOPHILUS LACTOBACILLUS PLANTARUM LACTOBACILLUS RHAMNOSUS STREPTOCOCCUS SALIVARIUS SUBSPECIES THERMOPHILUS	Nil	ESI not required	Nil	ESI not required
37922	PROQUINDOX DUSTFREE GROWTH PROMOTANT FOR PIGS OF ALL AGES	OLAQUINDOX	1 day	Not established	DO NOT USE LESS than 1 day before slaughter for human consumption	No mention of an ESI
45799	QUINDOX FEED MEDICATION	OLAQUINDOX	12 hours	Not established	Meat: Remove all medicated feed at least 12 hours before slaughter for human consumption	An ESI has not been established for this product.
88443	Randlab Colix Injection	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 days	Not established	DO NOT USE LESS THAN 7 days before slaughter for human consumption.	An ESI has not been established for this product
87454	Randlab Ketamine Injection	KETAMINE AS KETAMINE HYDROCHLORIDE	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption.	An ESI has not been established for this product
68070	RANDLAB MELOXICAM INJECTION ANTI-INFLAMMATORY INJECTION	MELOXICAM	6 days	6 days	6 days for pigs before slaughter for human consumption.	PIGS: DO NOT slaughter for export less than 6 days after treatment
90134	Randlab Oxytetracycline Injection 100 mg/mL	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	Do not use less than 10 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact Prime Animal Health on (03) 9809 4334 before using this product.
90158	Randlab Tulathromycin Injection	TULATHROMYCIN	14 days	26 days	MEAT: DO NOT USE less than 14 days before slaughter for human consumption.	Pigs: DO NOT USE less than 26 days before slaughter for export
36019	RECEPTAL SYNTHETIC GONADOTROPHIN RELEASING HORMONE	BUSEREIN ACETATE	0 days	0 days	WITHHOLDING PERIOD: 0 days	EXPORT SLAUGHTER INTERVAL: 0 days
70328	RECOCAM 20MG/ML SOLUTION FOR INJECTION FOR CATTLE, PIGS AND HORSES	MELOXICAM	4 days	4 days	4 days for pigs	4 days for pigs
45680	REGUMATE ORAL PROGESTAGEN FOR PIGS	ALTRENOGEST	15 days	Not established	MEAT: DO NOT USE less than 15 days before slaughter for human consumption.	An ESI has not been established for this product
86332	RELIVEN 20 MG/ML SOLUTION FOR INJECTION	MELOXICAM	4 days	4 days	4 days for pigs	4 days for pigs
92620	RESPIRMycin Injection Solution	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from Parnell Technologies Pty Ltd on 1800 665 882 or the APVMA website (www.apvma.gov.au/residues).
55215	RESPISURE HPS VACCINE (INACTIVATED)	HAEMOPHILUS PARASUIS	0 days	0 days	0 days	0 days
50168	RESPISURE MYCOPLASMA HYOPNEUMONIAE VACCINE	M. HYOPNEUMONIAE - INACTIVATED WHOLE CELL CULTURE	0 days	ESI not applicable	MEAT: Zero (0) days	ESI not applicable
54654	RESPISURE ONE MYCOPLASMA HYOPNEUMONIAE VACCINE	MYCOPLASMA HYOPNEUMONIAE - INACTIVATED ANTIGEN	0 days	Not established	MEAT: Zero (0) days	An ESI has not been established for this product
89828	Respotil 250 mg/mL Oral Solution	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Probus Pharmaceuticals Pty Ltd on 1800 940 556 or the APVMA website (www.apvma.gov.au/residues).

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
67935	RHEUMOCAM 20MG/ML SOLUTION FOR INJECTION	MELOXICAM	4 days	4 days	Do not use less than 4 days before slaughter for human consumption.	Do not slaughter for export less than 4 days after final treatment.
47451	SACOX 120 MICROGRANULATE	SALINOMYCIN SODIUM	0 days	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 9810 1104 before using this product.
68269	SACOX 200 MICROGRANULATE	SALINOMYCIN SODIUM	0 days	Not established	0 days.	An ESI has not been set for this product.
81356	Sadox 240G	SALINOMYCIN SODIUM	0 days	Not established	0 days.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from DOX-AL AUSTRALIA PTY LTD on 0398741892 before using this product.
62938	SAINT BERNARD PETCARE INSECT REPELLENT FOR FLIES, MOSQUITOES & BITING INSECTS	N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE DI-N-PROPYL ISOCINCHOMERONATE PIPERONYL BUTOXIDE DIETHYLTOLUAMIDE CITRONELLA OIL PYRETHRIN	Nil	Not established	WHP: Nil	No mention of an ESI
63456	SAINT BERNARD PETCARE MALDISON WASH INSECTICIDE	MALATHION	7 days	Not established	Meat: DO NOT USE later than 7 days before slaughter for human consumption.	An ESI has not been established for this product
53304	SALECO 120 GRANULAR	SALINOMYCIN SODIUM	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
64658	SALINDOX 120 G MICROGRANULATE FEED ADDITIVE	SALINOMYCIN SODIUM (PRESENT AS THE SODIUM SALT)	Nil	Not established	Nil	This product does not have an ESI established.
89690	SALINOMIX 240 GRANULAR PREMIX	SALINOMYCIN SODIUM	0 days	Not established	0 days.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
68700	SELECTAN SOLUTION FOR INJECTION FOR CATTLE AND PIGS	FLORFENICOL	12 days	18 days	Do not use less than 12 days before slaughter for human consumption.	Do not use less than 18 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the distributor on (02) 6452 4020 or the APVMA website (www.apvma.gov.au/residues).
41416	SELECTOLYTE	BICARBONATE POTASSIUM SODIUM	Nil	0 days	WHP: Nil	ESI: Zero (0) days
87302	SOWMATE ORAL PROGESTAGEN FOR PIGS	ALTRENOGEST	15 days	Not established	DO NOT USE less than 15 days before slaughter for human consumption	An ESI has not been established for this product
92890	Specto-Linc Antibiotic Injectable Solution	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	21 days	Not established	DO NOT USE less than 21 days before slaughter for human consumption.	An ESI has not been established for this product.
41417	STOCADE WATER SOLUBLE	VITAMIN A PALMITATE VITAMIN D3 = CHOLECALCIFEROL VITAMIN E-D = ALPHA TOCOPHEROL-D	Nil	Not established	WHP: Nil	No mention of an ESI
35937	STRESNIL NEUROLEPTIC INJECTION FOR PIGS	AZAPERONE	6 hours	Not established	Do not use less than 6 hours before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Elanco Australasia Pty Ltd on 1800 226 324 before using this product.
35554	SULFA FG PREMIX MEDICATION FOR PIGS	SULFADIMIDINE	14 days	Not established	Remove all medicated feed 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact the manufacturer on (08) 8524 8150 before using this product.
51718	SULPRIM ORAL POWDER	TRIMETHOPRIM, SULFADIMIDINE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
90856	SwineCalm Neuroleptic Injection for Pigs	AZAPERONE	6 hours	Not established	DO NOT USE less than 6 hours before slaughter for human consumption.	An ESI has not been established for this product
38425	SYKES BIG L WORMER FOR POULTRY & PIGS	LEVAMISOLE	3 days	Not established	Pig Meat: Do not use less than 3 days before slaughter for human consumption	No mention of an ESI

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
38423	SYKES DRENCH A PURGATIVE DRENCH WITH SOME MINERAL REPLACEMENTS	ALOES CALCIUM HYDROXIDE COBALT (II) SULFATE COPPER SULFATE FERRIC OXIDE MAGNESIUM SULFATE AMMONIUM SULFATE	Nil	Not established	WHP: Nil	No mention of an ESI
39823	TAKTIC EC ACARICIDAL SPRAY FOR CATTLE AND PIGS	AMITRAZ	0 days	Not established	MEAT: Zero (0) days	This product does not have an ESI established.
40183	TAKTIC TOPLINE POUR-ON ACARICIDE FOR PIGS	AMITRAZ	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	No mention of an ESI
49695	TERRAMYCIN 200 FEED SUPPLEMENT	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	WHP - Meat (pigs) DO NOT USE less than 4 days before slaughter for human consumption.	This product does not have an ESI established.
40178	TERRAMYCIN 400 FEED SUPPLEMENT	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	Do not administer later than 4 days before slaughter for human consumption.	This product does not have an ESI established.
49640	TERRAMYCIN 550 FEED SUPPLEMENT POWDER	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	Do not administer later than 4 days before slaughter for human consumption.	An ESI has not been established for this product. Note— observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
46830	TERRAMYCIN 880 SOLUBLE POWDER CONCENTRATE	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	Do not administer later than 4 days before slaughter for human consumption.	An ESI has not been established for this product. Note— observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
88577	TetraMax 100 INJECTION	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	8 days	8 days	Do not use less than 8 days before slaughter for human consumption. Any variation by prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 8 days before slaughter for export.
88734	TetraMax Flexi-Dose INJECTION	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	Do not use less than 10 days before slaughter for human consumption.	This product does not have an ESI established. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal health Pty Ltd on 02 8088 0720 before using this product.
88917	TetraMax LA 300 INJECTION	OXYTETRACYCLINE AS THE DIHYDRATE	28 days	28 days	Do not use less than 28 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period	Do not use less than 28 days before slaughter for export. Before using this product, confirm the current ESI with Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website www.apvma.gov.au/residues/ .
81499	TETRAMAX SOLUBLE ANTIBIOTIC POWDER	OXYTETRACYCLINE HYDROCHLORIDE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade Advice should be sought from Abbey Animal Health Pty Ltd on (02) 8088 0720 before using this product. SAFEMEAT Provisional Russian ESI of 90 days is applied for pigs whose commodities are destined for export to Russia.
92232	The Hunter River Co. Vitamin ADE Injection for Cattle, Sheep & Pigs	RETINOL AS THE PALMITATE VITAMIN D3 = CHOLECALCIFEROL ALPHA TOCOPHEROL ACETATE (VITAMIN E) AS VITAMIN E ADSORB	0 days	0 days	MEAT: Zero (0) days	Zero (0) days. Before using this product, confirm the current ESI from The Hunter River Company on (03) 5820 8400 or the APVMA website (www.apvma.gov.au/residues/).
51520	THIOBARB POWDER	THIOPENTONE SODIUM	28 days	Not established	MEAT: DO NOT USE less than 28 days before slaughter for human consumption	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
68980	TIAMULABS TIAMULIN SOLUBLE POWDER	TIAMULIN AS TIAMULIN HYDROGEN FUMARATE	5 days	Not established	MEAT (PIGS, POULTRY): DO NOT USE less than 5 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may require extending the approved withholding period.	This product does not have an ESI established.
67671	TIAMULIN 50 MILL PACK	TIAMULIN FUMARATE	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (08) 8524 8150 before using this product.
37363	TIAMULIN FUMARATE 125 SOLUTION	TIAMULIN FUMARATE	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (08) 8524 8150 before using this product.
59465	TIAMUPHARM LIQUID	TIAMULIN AS TIAMULIN HYDROGEN FUMARATE	5 days	Not established	MEAT: REMOVE ALL MEDICATED WATER 5 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may require extending the approved withholding period.	This product does not have an ESI established.
56715	TIAMU-SOL	TIAMULIN FUMARATE	5 days	Not established	MEAT: REMOVE ALL MEDICATED WATER 5 days before slaughter for human consumption	This product does not have an ESI established.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
94591	TIKDIP EC Cattle & Pig Spray	AMITRAZ	0 days	Not established	0 days	Pigs, goats and deer: An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Nutrien Ag Solutions on 1800 568 352 or the APVMA website (apvma.gov.au/residues).
64769	TILMAX 250 TILMICOSIN PHOSPHATE AQUEOUS CONCENTRATE	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact Elanco Australasia on 1800 995 709 before using this product.
82525	TILMICABS 200 TILMICOSIN PHOSPHATE PREMIX	TILMICOSIN PHOSPHATE	14 days	Not established	Remove all medicated feed 14 days before slaughter for human consumption. Any variation to the registered dose, frequency, duration, route, disease or target species may result in the need to extend the registered withholding period.	This product does not have an ESI established. For advice on the ESI, contact Abbey Animal Health Pty Ltd on (02) 8088 0720 or the APVMA website (www.apvma.gov.au/residues/).
69566	TILMICABS AC (TILMICOSIN PHOSPHATE) AQUEOUS CONCENTRATE	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product or APVMA website (apvma.gov.au/residues)
61874	TILMOVET 200 GRANULAR PREMIX	TILMICOSIN PHOSPHATE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI, contact the distributor on 1300 815 262 before using this product.
56487	TMPS 240 INJECTION	TRIMETHOPRIM, SULFADOXINE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption	An ESI has not been established for this product.
52850	TOLFEDINE CS INJECTION	TOLFENAMIC ACID	6 days	21 days	MEAT (PIGS): DO NOT USE less than 6 days before slaughter for human consumption.	DO NOT USE less than 21 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the registrant on (02) 9517 1166 or the APVMA website (apvma.gov.au/residues/ESI.shtml)
92497	Tolfege lis Liquid Injection for Cattle and Pigs	TOLFENAMIC ACID	6 days	Not established	MEAT (PIGS): DO NOT USE less than 6 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Agilis International Limited on 0800 244 547 before using this product.
83476	TOLFLAM ANTI-INFLAMMATORY INJECTION FOR CATTLE AND PIGS	TOLFENAMIC ACID	6 days	Not established	Intramuscular administration: DO NOT USE less than 6 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the registration holder on (02) 9517 1166 before using this product.
88320	TOLTROX 50 mg/mL SUSPENSION	TOLTRAZURIL	70 days	Not established	Do not use less than 70 days before slaughter for human consumption.	An ESI has not been established for this product. Before using this product, confirm the current ESI from CCD Animal Health on 0447 444 674 or the APVMA website (www.apvma.gov.au/residues).
86787	TRANQIL NEUROLEPTIC INJECTION FOR PIGS	AZAPERONE	6 hours	Not established	MEAT: DO NOT USE less than 6 hours before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI, contact Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
48032	TRIBACTRAL ANTIBACTERIAL SUSPENSION FOR INJECTION	TRIMETHOPRIM, SULFADIAZINE	28 days	Not established	28 days	ESI not established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
53733	TRIBACTRAL S ANTIBACTERIAL SOLUTION FOR INJECTION	SULFADOXINE, TRIMETHOPRIM	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Jurox Pty Limited on 1800 023 312 before using this product.
36120	TRIBRISSEN INJECTION-480	TRIMETHOPRIM SULFADIAZINE	28 days	Not established	Do not use less than 28 days before slaughter for human consumption.	This product does not have an ESI established.
36121	TRIBRISSEN PIGLET SUSPENSION	TRIMETHOPRIM, SULFADIAZINE	14 days	Not established	Do not administer less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using the product.
36123	TRIBRISSEN WATER MEDICATION	TRIMETHOPRIM SULFADIAZINE	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established.
35662	TRICON POWDER SOLUBLE ANTIBIOTIC POWDER FOR ORAL USE	CHLORTETRACYCLINE HYDROCHLORIDE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
92664	Tridox 240mg/mL Antibacterial Solution for Injection	TRIMETHOPRIM SULFADOXINE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Probus Pharmaceuticals Pty Ltd on 1800 940 556 before using this product.
35694	TRIMAZINE BOLUS A SULPHONAMIDE TRIMETHOPRIM PREPARATION	TRIMETHOPRIM SULFADIAZINE	15 days	Not established	Meat: DO NOT USE less than 15 days for pigs before slaughter for human consumption.	This product does not have an ESI established.
37721	TRIMIDINE POWDER	SULFADIMIDINE, TRIMETHOPRIM	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established.
47418	TRIPRIM ANTIBACTERIAL INJECTION	TRIMETHOPRIM SULFADIMIDINE	15 days	Not established	DO NOT USE less than 15 days before slaughter for human consumption.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Ausrichter Pty Ltd on (02) 9517 1166 before using this product.
92858	Tri-Sil Powder	TRIMETHOPRIM SULFADIMIDINE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption.	An ESI has not been established for this product. Note - observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from RANDLAB AUSTRALIA PTY LTD on (02) 9728 3505 before using this product.
88635	TRI-SOLFEN WOUND ANAESTHETIC & ANTISEPTIC SOLUTION	BUPIVACAINE AS HYDROCHLORIDE LIGNOCAINE AS HYDROCHLORIDE ADRENALINE AS ACID TARTRATE CETRIMIDE	90 days	90 days	DO NOT USE less than 90 days before slaughter for human consumption.	DO NOT USE less than 90 days before slaughter for export. Before using this product confirm the current ESI from Dechra Veterinary Products Australia Pty Ltd on 1300 015 825 or the APVMA website (www.apvma.gov.au/residues).
91644	Tri-Sulfox Injection	TRIMETHOPRIM SULFADOXINE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Randlab on 02 97283505 before using this product.
36308	TRIVETRIN INJECTION	TRIMETHOPRIM SULFADOXINE	14 days	Not established	DO NOT USE less than 14 days before slaughter for human consumption	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
84114	Troy Anaeway Injection	IRON AS IRON DEXTRAN CYANOCOBALAMIN (VITAMIN B12)	0 days	0 days	MEAT: Zero (0) days	Zero (0) days. Before using this product, confirm the current ESI from Troy Laboratories Pty Ltd on 02 8808 3600 or the APVMA website (www.apvma.gov.au/residues).
51610	Troy Chloromide Antiseptic Spray	CHLOROXYLENOL ORTHOPHENYLPHENOL PYRETHRINS CETRIMIDE	0 days	Not established	Meat : Zero (0) days	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from manufacturer on (02) 8808 3600 before using this product.
42198	TROY DEBRISOL ENZYME WOUND PUMP SPRAY	TRYPSIN	0 days	Not established	MEAT: Zero (0) days	An ESI has not been established for this product. Note - observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Troy Laboratories on (+61) 28808 3600 before using this product.
86367	Troy Doramate Injectable Endectocide	DORAMECTIN	35 days	42 days	Pigs: DO NOT USE less than 35 days before slaughter for human consumption.	DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from Troy Laboratories Pty Ltd on (+61) 2 8808 3600 or the APVMA website (www.apvma.gov.au/residues).
40057	TROY OXYTET-200 L.A. LONG-ACTING BROAD-SPECTRUM ANTIBIOTIC INJECTION	OXYTETRACYCLINE AS THE BASE	42 days	Not established	MEAT: DO NOT USE less than 42 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Troy Laboratories on (+61) 28808 3600 before using this product.
52274	TROY REPEL-X INSECTICIDAL AND REPELLENT SPRAY	DIETHYLTOLUAMIDE, PYRETHRINS, PIPERONYL BUTOXIDE, DI-N-PROPYL ISOCINCHOMERONATE, CITRONELLA OIL, N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	0 days	Not established	Zero (0) days.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
61154	TROY VITAMIN ADE INJECTION FOR CATTLE, SHEEP & PIGS	RETINOL AS THE PALMITATE VITAMIN D3 = CHOLECALCIFEROL ALPHA TOCOPHEROL ACETATE (VITAMIN E) AS VITAMIN E ADSORB	0 days	0 days	MEAT: 0 days, MILK: 0 days	Zero (0) days
91910	Tulacin Injection	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from the manufacturer on (02) 9810 1104 or the APVMA website (www.apvma.gov.au/residues).
90375	Tulaject 100mg/mL Injectable Solution	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from the distributor CCD Animal Health on 1300 791009 or the APVMA website (www.apvma.gov.au/residues).
89410	Tulaven Injectable Solution	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on +61 2 9652 7000 or the APVMA website (www.apvma.gov.au/residues).
85687	TULAXX INJECTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues).
88653	TULIEVE INJECTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 1800 665 866 or the APVMA website (www.apvma.gov.au/residues).
87907	TULISSIN INJECTABLE SOLUTION	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption.	Do not use less than 26 days before slaughter for export. Before using this product, confirm the current ESI from either Virbac (Australia) Pty Ltd on 1800 009 847 or the APVMA website (www.apvma.gov.au/residues).
53752	TYLECO 250 GRANULAR	TYLOSIN AS THE PHOSPHATE	Nil	Not established	MEAT-NIL (at 100 g or less tylosin per tonne of final feed). Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
54573	TYLECO 50 GRANULAR	TYLOSIN AS TYLOSIN PHOSPHATE	Nil	Not established	Nil (at 100g or less tylosin per tonne of final feed).	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
53753	TYLECO SOLUBLE WATER SOLUBLE TYLOSIN TARTRATE	TYLOSIN AS TARTRATE	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
65360	TYLODOX 1000	TYLOSIN AS TYLOSIN PHOSPHATE	0 days	Not established	Zero days (at 100 g or less of tylosin/tonne of feed).	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9809 4334 before using this product.
81769	Tyloodox 100G	TYLOSIN AS TYLOSIN PHOSPHATE	0 days	Not established	MEAT (Cattle and Pigs): Zero (0) days (at 100 g or less Tylosin per tonne of final feed). Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on 03 9874 1892 before using this product.
64657	TYLODOX 250 G MICROGRANULATE FEED ADDITIVE	TYLOSIN AS TYLOSIN PHOSPHATE	Nil	Not established	Nil (at 100g or less of tylosin /tonne of feed.)	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
60891	TYLODOX 50 G MICROGRANULATE FEED ADDITIVE	TYLOSIN AS TYLOSIN PHOSPHATE	0 days	Not established	MEAT: Zero (0) Days (at 100g or less tylosin per tonne of final feed)	This product does not have an ESI established. For advice on the ESI, contact the manufacturer on 03 9809 4334 before using this product.
53703	TYLOMIX 100 TYLOSIN TARTRATE PREMIX	TYLOSIN AS TARTRATE	0 days	Not established	MEAT: ZERO (0) days. Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal health Pty Ltd on 02 8088 0720 before using this product.
55331	TYLOPHARM 200 INJECTION	TYLOSIN	3 days	Not established	DO NOT USE less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the distributor on 02 8090 7187 before using this product

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
86819	TYLOPHOS 100 PREMIX	TYLOSIN AS THE PHOSPHATE	0 days	Not established	MEAT (Pigs, Cattle, Poultry): Zero (0) days	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product or the APVMA website www.apvma.gov.au/residues .
86555	TYLOPHOS 250 PREMIX	TYLOSIN	0 days	Not established	MEAT (Pigs, Cattle, Poultry): Zero days (at 100g or less Tylosin/tonne of final feed).	An ESI has not been established for this product. Note- observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
84188	TYLOPHOS PREMIX CONCENTRATE FOR PIGS AND CATTLE	TYLOSIN AS TYLOSIN PHOSPHATE	0 days	Not established	MEAT: Zero (0) days (at 100g or less Tylosin/tonne of feed).	This product does not have an ESI established. For advice on the ESI, contact Abbey Animal Health Pty Ltd on (02) 8088 0720 or the APVMA website (www.apvma.gov.au/residues).
92830	Tylosin 200 mg/mL Injection for Cattle and Pigs	TYLOSIN	3 days	Not established	PIG MEAT: DO NOT USE less than 3 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the AVet Health Ltd. on 1300 28 38 28 before using this product.
56235	Tylo-Sol	TYLOSIN AS TARTRATE	0 days	Not established	Zero days. Any variation by the prescribing veterinarian to the approved dose, frequency duration route disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Prime Animal Health on (03) 9809 4334 before using this product.
92203	TYLO-T 800 g/kg SOLUBLE ANTIBIOTIC POWDER	TYLOSIN AS TARTRATE	0 days	Not established	MEAT: Zero (0) days Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	An ESI has not been established for this product. Note - observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Probus Pharmaceuticals Pty Ltd on 1800 940 556 before using this product.
82653	TYLOVET 200 TYLOSIN INJECTION	TYLOSIN AS TARTRATE	3 days	Not established	Do no use less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the distributor Abbey Animal Health Pty Ltd on (02) 8088 0720 before using this product.
54322	TYLOVET TYLOSIN TARTRATE SOLUBLE	TYLOSIN AS TARTRATE	0 days	0 days	MEAT: Zero (0) days. Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.
88145	ULTRACILLIN INJECTION	PROCaine PENICILLIN	7 days	7 days	MEAT (Pigs): DO NOT USE less than 7 days before slaughter for human consumption.	Pigs: DO NOT USE less than 7 days before slaughter for export
54362	ULTRAPEN LA PROCaine PENICILLIN INJECTION FOR CATTLE AND PIGS	PROCaine PENICILLIN	7 days	7 days	Do not use less than 7 days before slaughter for human consumption.	Do not use less than 7 days before slaughter for export.
70111	UNIFERON 200 IRON DEXTRAN INJECTION	IRON DEXTRAN COMPLEX	0 days	0 days	MEAT: Zero (0) days.	Zero (0) days. Before using this product, confirm the current ESI from the Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues)
36317	UTOZYME FOAMING PESSARIES	OXYTETRACYCLINE HYDROCHLORIDE	14 days	Not established	Do not use later than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
89704	Vetalox 20mg/mL Injectable Meloxicam for Cattle and Pigs	MELOXICAM	6 days	8 days	DO NOT USE less than 6 days before slaughter for human consumption	DO NOT USE less than 8 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI with Probus Pharmaceuticals Pty Ltd on 1800 940 556 or the APVMA website (www.apvma.gov.au/residues).
94273	VETJECT ADE INJECTION FOR CATTLE, SHEEP AND PIGS	VITAMIN A PALMITATE VITAMIN D3 = CHOLECALCIFEROL DL-ALPHA-TOCOPHERYL ACETATE (VITAMIN E)	0 days	0 days	MEAT: Zero (0) days. MILK: Zero (0) days.	EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from the manufacturer on 02 9499 7370 or the APVMA website (www.apvma.gov.au/residues).

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
95146	Vetmec Doraguard Antiparasitic Injection	DORAMECTIN	35 days	42 days	PIGS: DO NOT USE less than 35 days before slaughter for human consumption.	EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export. Before using this product, confirm the current ESI from Chemvet Australia Pty Ltd on 1800 243 683 or the APVMA website (www.apvma.gov.au/residues).
93835	VETSENSE Fluverm 50 mg/g Oral Premix Pig and Poultry Wormer	FLUBENDAZOLE	7 days	7 days	REMOVE ALL MEDICATED FEED 7 days before slaughter for human consumption.	PIGS: (ESI) DO NOT USE less than 7 days before slaughter for export. Before using this product, confirm the current ESI from Vetsense on 0245779911 or the APVMA website (www.apvma.gov.au/residues).
57798	VETSENSE FLYGON INSECTICIDAL AND REPELLENT SPRAY	N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE DI-N-PROPYL ISOCINCHOMERONATE PIPERONYL BUTOXIDE PYRETHRINS	0 days	Not established	Zero (0) days	An ESI has not been established for this product
59640	VETSENSE KILVERM PIG AND POULTRY WORMER	LEVAMISOLE	3 days	Not established	Do not use less than 3 days before slaughter for human consumption.	An ESI has not been established for this product
61555	VIRBAC VIRBAMEC LA INJECTION ENDECTOCIDE FOR CATTLE AND PIGS	IVERMECTIN	42 days	Not established	Do not use less than 42 days before slaughter for human consumption.	An ESI has not been established for this product
92294	VitADE Injection	VITAMIN A PALMITATE VITAMIN D3 = CHOLECALCIFEROL DL-ALPHA-TOCOPHERYL ACETATE (VITAMIN E)	0 days	0 days	MEAT: Zero (0) days. MILK: Zero (0) days.	ESI: Zero (0) days. Before using this product, confirm the current ESI from the Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues).
54709	VITAMEC ADE VITAMIN A, D & E INJECTION FOR CATTLE, SHEEP & SWINE	VITAMIN A PALMITATE VITAMIN D3 = CHOLECALCIFEROL ALPHA-TOCOPHERYL (VITAMIN E)	Nil	Not established	WHP: Nil	An ESI has not been established for this product
36206	VR TRIBACTRAL DUALS ANTIBACTERIAL PESSARY/BOLUS	TRIMETHOPRIM SULFADIAZINE	14 days	Not established	Meat: 14 days	An ESI has not been established for this product
53841	VYTRATE LIQUID CONCENTRATE	GLYCINE CITRIC ACID MONOHYDRATE GLUCOSE POTASSIUM CITRATE POTASSIUM PHOSPHATE MONOBASIC SODIUM CHLORIDE	0 days	0 days	Zero (0) days	Export Slaughter Interval (ESI): Zero (0) days
35892	VYTRATE SCOUR TREATMENT	GLYCINE CITRIC ACID ANHYDROUS GLUCOSE ANHYDROUS POTASSIUM CITRATE POTASSIUM PHOSPHATE MONOBASIC SODIUM CHLORIDE	0 days	ESI not required	Zero (0) days	Export Slaughter Interval (ESI): ESI not required.
35780	WEANAVAC - E. COLI VACCINE FOR PIGS	E.COLI	Nil	Not established	WHP: Nil	An ESI has not been established for this product
37827	WORMTEC 30 PIG WORMER	MORANTEL CITRATE	Nil	Not established	WHP: Nil	An ESI has not been established for this product
61252	YODIMASPen ESTER OF BENZYL PENICILLIN FOR INTRAMUSCULAR INJECTION	PENETHAMATE HYDRIODIDE	Not established	Not established	No mention of WHP	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Sykes Vet International Pty Ltd on 03 8792 3000 before using this product.
88852	YP CHLORTETRACYCLINE Feed Grade	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	Therapeutic use - Not established 7 days. Prophylactic use - 5 days.		Therapeutic use - Remove all medicated feed 7 days, before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days, before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
88822	YP CHLORTETRACYCLINE Soluble Powder	CHLORTETRACYCLINE HYDROCHLORIDE	Therapeutic use: Not established 7 days. Prophylactic use: 5 days		Therapeutic use - Remove all medicated feed 7 days, before slaughter for human consumption. Prophylactic use - Remove all medicated feed 5 days, before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
87233	YP Ivermectin Premix for Pigs	IVERMECTIN	7 days	7 days	Remove all medicated feed 7 days before slaughter for human consumption.	Do not slaughter for export for 7 days after removal of the medicated food.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
88264	YP Lincomycin Soluble Powder	LINCOMYCIN HYDROCHLORIDE	2 days	Not established	MEAT: REMOVE ALL MEDICATED WATER TWO days before slaughter for human consumption. Any variation by the prescribing veterinarian to the above dose, frequency, duration, route, disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note- observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
92687	YP MELOXICAM 20 INJECTABLE	MELOXICAM	4 days	4 days	MEAT:DO NOT USE less than 4 days for pigs before slaughter for human consumption. Repeat doses (more than TWICE) or higher doses could result in residues above the MRLs unless the label withholding period is extended. The prescribing veterinarian would need to advise on an extended withholding period	DO NOT slaughter for export less than 4 days after final treatment. The ESI on this label was current at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on 1800 426 142 or the APVMA website (www.apvma.gov.au/residues).
92829	YP SODIUM SALICYLATE SOLUBLE POWDER FOR PIGS	SODIUM SALICYLATE	2 days	2 days	MEAT: Do not use less than 2 days before slaughter for human consumption.	DO NOT USE less than 2 days before slaughter for export. Before using this product, confirm the current ESI from South Yarra Pharma Pty Ltd on 1800 426 142 or the APVMA website (www.apvma.gov.au/residues).
92169	YP TIAMULIN SOLUBLE LIQUID	TIAMULIN AS TIAMULIN HYDROGEN FUMARATE	5 days	Not established	MEAT: REMOVE ALL MEDICATED WATER 5 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note-observing the meat withholding period may not be sufficient to mitigate- potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product
88418	YP TILMICOSIN Soluble Liquid	TILMICOSIN PHOSPHATE	7 days	Not established	Do not use less than 7 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from South Yarra Pharma Pty Ltd on 1800 426 142 before using this product.
87868	YP Tulathromycin Injectable	TULATHROMYCIN	14 days	26 days	Do not use less than 14 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	Do not use less than 26 days before slaughter for export. The ESIs on this label were correct at the time of label approval. Before using this product, confirm the current ESI from South Yarra Pharma Pty Ltd on 1800 426 142 or the APVMA website (www.apvma.gov.au/residues).
91589	YP Tylosin Tartrate Soluble	TYLOSIN AS TARTRATE	0 days	Not established	MEAT: Zero (0) days. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period	An ESI has not been established for this product
81953	ZAMICHLOR SOLUBLE	CHLORTETRACYCLINE HYDROCHLORIDE	Therapeutic dose :7 days Prophylactic dose: 5 days	Not established	Therapeutic dose: Do not use less than 7days before slaughter for human consumption. Prophylactic dose: Do not use less than 5 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Zamira Life Sciences Pty Ltd on (07) 3378 3780 before using the product.
90676	Zelyst Coccidiocide for Cattle and Piglets	TOLTRAZURIL	70 days	Not established	Do not use less than 70 days before slaughter for human consumption.	An ESI has not been established for this product. Note—observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Alleva Animal Health on (02) 9810 1104 before using this product.
87145	ZEROMECH PREMIX FOR PIGS	IVERMECTIN	7 days	7 days	Remove all medicated feed 7 days before slaughter for human consumption.	Do not slaughter for export for 7 days after removal of the medicated food
82271	ZEROMECH SOLUBLE WORMER FOR PIGS	IVERMECTIN	7 days	7 days	Remove all medicated water 7 days before slaughter for human consumption.	Do not use less than 7 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on (02) 6452 4020 or the APVMA website (http://www.apvma.gov.au/residues).