PIG WHP/ESI LIST

This list comprises of products approved for pigs with withholding periods (WHP) and export slaughter intervals (ESI).

The data should correctly list the WHP and ESI as presented on the label.

Products for which the active is of no residue concerns (such as protein pastes and nutritionals) are excluded from this list.

Many 'older' products have not had an ESI established by the APVMA. However, a WHP/ESI may need to be considered in conjunction with your vet.

While every endeavor has been made to capture all pig products, some products may have been inadvertently omitted.

Producers and veterinarians can check any product on PUBCRIS (<u>https://portal.apvma.gov.au/pubcris</u>).

-						
Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
40076	A.C.P. 10 ANAESTHETIC PREMEDICATION, TRANQUILLISER AND TRAVEL SICKNESS STERILE INJECTION	ACEPROMAZINE MALEATE	2 Days	Not established	Do not use less than 2 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact Ceva Animal Health on (02) 9652 7000 before using this product.
81128	ABBEYFLOR PREMIX CONCENTRATE FOR PIGS	FLORFENICOL	12 Days	15 Days	Remove all medicated feed 12 days before slaughter for human consumption	Do not use less than 15 days before slaughter for export. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website (www.apvma.gov.au/residues)
67803	ABBEYLINC ANTIBIOTIC SOLUBLE POWDER	LINCOMYCIN HYDROCHLORIDE	2 Days	Not established	Remove all medicated water 2 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the above dose frequency, duration, route disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade.
51973	ALAMYCIN 10 INJECTION	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	8 Days	8 Days	Do not use less than 8 days before slaughter for human consumption.	Do not use less than 8 days before slaughter for export.
47532	ALAMYCIN AEROSOL TOPICAL SPRAY	OXYTETRACYCLINE AS OXYTETRACYCLINE HYDROCHLORIDE	0 Days	0 Days	Nil	Animals can be slaughtered for export at zero days after the last treatment.
53087	ALAMYCIN LA 300 OXYTETRACYCLINE INJECTABLE SOLUTION	OXYTETRACYCLINE AS THE DIHYDRATE	28 Days	28 Days	Do not use less than 28days before slaughter for human consumption.	Do not use less than 28 days before slaughter for export.
68127	ANTHRAX VACCINE (LIVING SPORE STERNE 34F2 STRAIN)	BACILLUS ANTHRACIS (STERNE 34F2 STRAIN)	42 Days	42 Days	Do not use less than 42 days before slaughter for human consumption.	Do not use less than 42 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from either VIRBAC on 1800 009 847 or the APVMA website (http://www.apvma.gov.au/residues/).
37617	AUROFAC D DISPERSIBLE ANTIBIOTIC FEED SUPPLEMENT	CHLORTETRACYCLINE HYDROCHLORIDE	7 days	Not established	Remove all medicated feed 7 days before slaughter for human consumption	This product does not have an ESI established. For advice on the ESI contact BEC Feed Solutions Pty Ltd on 1300 884 593 before using this product.
50522	BENACILLIN LONG ACTING PENICILLIN	PROCAINE PENICILLIN, BENZATHINE PENICILLIN, PROCAINE HYDROCHLORIDE	30 Days	Not established	Do not use less than 30 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
52228	BILOSIN 200 TYLOSIN INJECTION	TYLOSIN	3 Days	Not established	Do not use less than 3 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187or the APVMA website (http://www.apvma.gov.au/residues/).
68669	BIMOTRIM INJECTION	TRIMETHOPRIM, SULFADOXINE	14 Days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187 before using this product.
47146	BIMOXYL LA A LONG ACTING AMOXYCILLIN INJECTABLE SUSPENSION	AMOXYCILLIN TRIHYDRATE	30 days	Not established	Do not use less than 30 day before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on (02) 8090 7187 before using this product.
63989	CALEFLUNIX INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 Days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.
46492	CALSENATE INJECTION	SODIUM CALCIUM EDETATE	28 Days	Not established	Do not administer later than 28days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 678 368 before using this product.
41943	CCD OTC 10 SOLUBLE POWDER	OXYTETRACYCLINE HYDROCHLORIDE	4 Days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact the manufacturer on (07) 4122 2599 before using this product.
42339	CCD OTC 100 SOLUBLE POWDER	OXYTETRACYCLINE HYDROCHLORIDE	4 days	Not established	Do not use. less than 4 days before slaughter for human consumption.	This product does not have an ESI established.
60283	CCD TYLOSIN 100 (TYLOSIN PHOSPHATE) PREMIX	TYLOSIN AS THE PHOSPHATE	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1300 66 66 38 before using this product.
60483	CCD MORANTEL 30 PREMIX BROAD SPECTRUM ANTHELMINTIC FOR PIGS	MORANTEL CITRATE	NIL	Not established.	MEAT: NIL	Not established.
59196	CCD MORANTEL 100 WATER SOLUBLE WORMER FOR PIGS	MORANTEL CITRATE	7 days	Not established.	Meat: Do not use less than 7 days before slaughter for human consumption.	Not established.
37711	CEVA KETAMINE INJECTION	KETAMINE AS KETAMINE HYDROCHLORIDE	28 days	Not established	Do not use less than 28 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9667 4411 before using this product.
62983	CHLORO-SOL	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 Days	7 Days	Prophylactic dose: Do not use less than 5 days before slaughter for human consumption. Therapeutic dose: Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
68287	COLIX INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 Days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.

Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
45044	COOPERS AMITIK EC CATTLE AND PIG SPRAY	AMITRAZ	0 Days	Not established	ZERO days.	This product does not have an ESI established.
62353	COOPERS DIAZINON SHEEP BLOWFLY DRESSING AND CATTLE, GOAT AND PIG SPRAY	DIAZINON	3 Days	14 Days	Do not use less than 14 days before slaughter for human consumption.	An ESI has not been set. Before using this product confirm the current ESI from the manufacturer on 1800 226 511 or the APVMA website (http://www.apvma.gov.au/residues/).
37256	COOPERS ENGEMYCIN 100 OXYTETRACYCLINE HYDROCHLORIDE 100MG/ML INJECTION	OXYTETRACYCLINE HYDROCHLORIDE	10 days	Not established	Do not use less than 10 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 225 511 before using this product.
81911	COXI-STOP 50 COCCIDIOCIDE FOR PIGLETS AND CATTLE	TOLTRAZURIL	70 Days	Not established	Do not use less than 70 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on (02) 6452 4020 before using this product or the APVMA website (http://www.apvma.gov.au/residues/).
64660	CTC 200 G MICRO GRANULATE FEED ADDITIVE	CHLORTETRACYCLINE HYDROCHLORIDE AS CALCIUM COMPLEX	5 Days	Not established	Prophylactic dose: Remove all medicated feed 5 days before slaughter for human consumption. Therapeutic dose: Remove all medicated feed 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
46128	DECTOMAX INJECTABLE ENDECTOCIDE	DORAMECTIN	35 days	Not established.	MEAT: pigs 35 days	Not established.
37258	DEPOCILLIN PROCAINE PENICILLIN 300MG/ML INJECTION	PROCAINE PENICILLIN	5 days	Not established	Do not use less than 5 days before slaughter for human consumption.	This product does not have an ESI established.
52298	DEXADRESON INJECTION	DEXAMETHASONE AS THE SODIUM PHOSPHATE	14 Days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established.
37231	DEXAFORT AQUEOUS SUSPENSION OF DEXAMETHASONE AS MIXED ESTERS	DEXAMETHASONE PHENYLPROPIONATE, DEXAMETHASONE SODIUM PHOSPHATE	28 days	Not established	Do not use less than 28 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the manufacturer on 1800 033 461 before using this product.
52859	DEXASON ANTI-INFLAMMATORY AND GLUCOGENIC STEROID INJECTION	DEXAMETHASONE AS THE SODIUM PHOSPHATE	10 Days	Not established	Do not use less than 10 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
67987	DOXALINO 120G GRANULATED FEED ADDITIVE	SALINOMYCIN SODIUM (PRESENT AS THE SODIUM SALT)	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI, contact the distributor DSM Nutritional Products Pty Ltd on (02) 6922 7015.
37266	DUPLOCILLIN PROCAINE AND BENZATHINE PENICILLIN INJECTION	PROCAINE PENICILLIN, BENZATHINE PENICILLIN	30 days	Not established	Do not use less than 30 days before slaughter for human consumption.	This product does not have an ESI established.
61525	ELANCO AF0248 TYLAN GRANULAR TYLOSIN PHOSPHATE	TYLOSIN AS THE PHOSPHATE	Nil	Not established	Nil (at 100 g or less Tylosin/tonne of final feed)	This product does not have an ESI established. For advice on the ESI contact Elance Animal Health (Australia) on 1800 226 324 before using the product.
69700	ELANCO OVUGEL (TRIPTORELIN ACETATE) GEL FOR INTRAVAGINAL USE IN SOWS	TRIPTORELIN ACETATE	0 Days	0 Days	Zero days	Zero days
49013	ENTRODOX 100 G MICROGRANULATE FEED ADDITIVE	OLAQUINDOX	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 03 98741892 or the APVMA website before using this product (http://www.apvma.gov.au/residues/).
51771	EQUIVAC TAT 1500IU/ML TETANUS ANTITOXIN	CLOSTRIDIUM TETANI - ANTITOXIN	0 Days	ESI not required	Nil	ESI not applicable.
52668	ERYMICIN 200 INJECTION	ERYTHROMYCIN	7 Days	Not established	Do not administer less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
36796	ELANCO AH0206 TYLAN 200 TYLOSIN INJECTION 200MG/ML	TYLOSIN	3 days	Not established.	Meat: Pigs-Do not use less than 3 days before slaughter for human consumption.	Not established.
56153	FERON 200 + B12 INJECTABLE IRON DEXTRAN COMPLEX + VITAMIN B12	IRON AS IRON DEXTRAN, CYANOCOBALAMIN	Nil	0 Days	Nil	Animals may be slaughtered for export at any time after last treatment.
54232	FLAVECO 40 FEED SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
54574	FLAVECO 5 FEED SUPPLEMENT	FLAVOPHOSPHOLIPOL	Nil	Not established	NIL. FLAVECO 5 may be provided to animals up to slaughter.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
66272	FLORVETOL	FLORFENICOL	12 Days	15 Days	Remove all medicated feed 12 days before slaughter for human consumption.	Do not use less than 15 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on 1800 033 461 or the APVMA website (http://www.apvma.gov.au/residues/).
50626	FLUNIXON INJECTION	FLUNIXIN AS FLUNIXIN MEGLUMINE	7 Days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established.
50521	ILIUM ACEPRIL-10 INJECTION TRANQUILLISER, PRE-ANAESTHETIC MEDICATION	ACEPROMAZINE AS ACEPROMAZINE MALEATE	2 Days	Not established	2 days	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
62535	ILIUM MELOXICAM 20 ANTI- INFLAMMATORY INJECTION FOR CATTLE AND PIGS	MELOXICAM	4 Days	4 Days	Do not use less than and 4 days for pigs before slaughter for human consumption.	Do not use less than 4 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on (02) 9604 6266 or the APVMA website (http://www.apvma.gov.au/residues/)
50435	ILIUM SYNTOCIN INJECTION OF SYNTHETIC OXYTOCIN	OXYTOCIN	0 Days	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
60911	ILIUM THIOPENTONE	THIOPENTONE SODIUM	28 Days	Not established	Do not use less than 28 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9677 9000 before using this product.

Product	Product	Active Constituent	Pig	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
Number 51447	ILIUM TRIMEDEXIL ANTI-INFLAMMATORY	DEXAMETHASONE	Pig WHP	Ŭ		ESI nor established.
	STEROID INJECTION	TRIMETHYLACETATE	28 Days	Not established	Do not use less than 28 days before slaughter for human consumption.	
60022	IMAX SOLUBLE WORMER FOR PIGS	IVERMECTIN	7 Days	7 Days	Remove all medicated water 7 days before slaughter for human consumption.	Do not use less than 7 days before slaughter for export.
83415	INFLACAM INJECTION	MELOXICAM	4 Days	4 Days	Do not use less than 4 days before slaughter for human consumption.	Do not slaughter for export less than 4 days after final treatment. The ESI on this label was current at the time of label approval. For advice on the ESI contact Virbac on 1800 009 847 before using this product or the APVMA website (www.apvma.gov.au/residues).
87667	INDEPENDENTS OWN LEVISTAR PIG AND POULTRY WORMER	LEVAMISOLE HYDROCHLORIDE	3 days	Not established.	MEAT: DO NOT USE less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Note – observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from AIRR on (03) 5821 0922 before using this product.
45695	IVOMEC (IVERMECTIN) ANTIPARASITIC INJECTION FOR PIGS	IVERMECTIN	28 days	Not established.	MEAT: DO NOT TREAT PIGS less than 28 DAYS before slaughter for human consumption.	Not established.
52739	JURAMATE P PROSTAGLANDIN INJECTION FOR PIGS	CLOPROSTENOL AS THE SODIUM SALT	I Day	Not established	Do not use less than one day before slaughter for human consumption	This product does not have av ESI established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
52739	JURAMATE P PROSTAGLANDIN INJECTION FOR PIGS	CLOPROSTENOL AS THE SODIUM SALT	I Day	Not established	Do not use less than one day before slaughter for human consumption	This product does not have av ESI established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
36237	JUROX NEOMYCIN SULFATE INJECTION	NEOMYCIN SULFATE	15 days	Not established	Do not use less than 15 days before slaughter for human consumption.	This product does not have an ESI established.
37147	KEYMIX KEYQUINDOX-100 PIG GROWTH PROMOTANT	OLAQUINDOX	12 hours	Not established	Do not use less than 12 hours before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using the product.
37126	KEYMIX SULPHATRIM ORAL SULPHADIAZINE AND TRIMETHOPRIM MEDICATION	TRIMETHOPRIM, SULFADIAZINE	15 days	Not established	Do not use less than 15 days before slaughter for human consumption.	Not required.
41474	LIENOMYCIN	FLAVOPHOSPHOLIPOL	Nil	Not established	NIL	This product does not have an ESI established. For advice on the ESI contact the
51301	LIGNOCAINE 20 WITH ADRENALINE - I- 100,000	LIGNOCAINE HYDROCHLORIDE, ADRENALINE TARTRATE	0 Days	Not established	Nil	manufacture on (08) 8524 8150 before using this product. ESI not established.
51987	LOCAL ANAESTHETIC INJECTION LINCOMIX 800 ANTIBIOTIC SOLUBLE		2 Days	Not established	Remove all medicated water two days before slaughter for human consumption.	This product does not have an ESI established.
38702	POWDER LINCOMIX ANTIBIOTIC PREMIX	HYDROCHLORIDE LINCOMYCIN	I day/2 days	Not established	Do not use less than the following periods before slaughter for human consumption: Pigs fed up to 110 grams lincomycin/tonne 1 day. Pigs fed 220 grams lincomycin/tonne 2 days.	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 814 883 before using this product.
38714	LINCOMIX ANTIBIOTIC SOLUTION	LINCOMYCIN AS LINCOMYCIN	2 days	Not established	Do not use less than 2 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the
38692	LINCO-SPECTIN ANTIBIOTIC INJECTABLE SOLUTION	LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE, SPECTINOMYCIN AS SPECTINOMYCIN SULFATE	21 Days	Not established	Do not use less than 21 days before slaughter for human consumption	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 814 883 before using this product.
48182	LINCO-SPECTIN ANTIBIOTIC SOLUBLE POWDER FOR POULTRY AND SWINE	SPECTINOMYCIN AS SPECTINOMYCIN SULFATE TETRAHYDRATE, LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	8 Days	Not established	Do not use less than 8 days before slaughter for human consumption.	This product does not have an ESI established.
38701	LINCO-SPECTIN PREMIX ANTIBIOTIC FOR SWINE	SPECTINOMYCIN AS SPECTINOMYCIN SULFATE, LINCOMYCIN AS LINCOMYCIN HYDROCHLORIDE	l day	Not established	Do not use less than I day before slaughter for human consumption.	This product does not have an ESI established.
65003	LOXICOM INJECTION FOR CATTLE AND PIGS	MELOXICAM	6 Days	8 Days	Do not use less than 6 days before slaughter for human consumption.	Do not use less than 8 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the manufacturer on 1800 665 866 or the APVMA website (http://www.apvma.gov.au/residues/).
62077	M+PAC MYCOPLASMA HYOPNEUMONIAE INACTIVATED VACCINE FOR PIGS	MYCOPLASMA HYOPNEUMONIAE STRAIN J	N/a	Not established	N/A	N/A
65595	MAPRELIN	PEFORELIN	0 Days	0 Days	Zero days	Zero days
54061	METACAM 20MG/ML SOLUTION FOR	MELOXICAM	4 Days	4 Days	Do not use less than 4 days for pigs before slaughter for human consumption.	Do not slaughter for export less than 4 days after final treatment.
47753	MUSCA-BAN INSECTICIDAL SPRAY	N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE, PYRETHRINS, DI-N- PROPYL ISOCINCHOMERONATE, CITRONELLA OIL, PIPERONYL BUTOXIDE	0 days	Not established	Zero days	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 678 368 before using this product.
37241	NEOMYCIN PENICILLIN 100/200 AQUEOUS SUSPENSION FOR INTRAMUSCULAR INJECTION	THE SULFATE)	100 days	Not established	Do not use less than 100 days before slaughter for human consumption.	This product does not have an ESI established. For advice on ESI contact the manufacturer on 1800 033 461.
52621	NEOMYCIN SULPHATE UPJOHN FEED ADDITIVE POWDER	NEOMYCIN AS THE SULFATE	20 Days	Not established	Do not use less than 20 days before slaughter for human consumption.	This product does not have an ESI established.
67178	NEOVE FLUNIXIN MEGLUMINE INJECTION	FLUNIXIN MEGLUMINE	7 Days	Not established	Do not use less than 7 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact the distributor on 0401 583 313 before using this product.

Introduction Non-Method N	Product Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)	
Number Norm Contraction Number Norm Number Nor	36239	NIRAMINE INJECTION	CHLORPHENIRAMINE MALEATE	0 days		Nil	This product does not have an ESI established.	
International problem International problem International problem International problem International problem International problem 020 MICOLON SIGNIFICATION PORTALISMENT INTERNATIONAL PORTALISMENT INTERNATISMENTINAL PORTALISMENT INTERNATIONAL PORTALISMENTING PORTA	66803		FLORFENICOL	18 Days	22 Days	Do not use less than 18 days before slaughter for human consumption.	ESI from the distributor on 1800 665 866 or the APVMA website	
Instrume Instrume Instrume Instrume Instrume Instrume 281 NUCCOM NUCCOM NUCCOM NUCCOM Instrume Instrume Instrume 281 NUCCOM NUCCOM NUCCOM NUCCOM Instrume Instrume Instrume 281 NUCCOM NUCCOM NUCCOM Instrume I	37020	NOROCILLIN L.A. INJECTION		30 days		Do not use less than 30 days before slaughter for human consumption.		
Longing Longing <thlonging< th=""> <thlonging< th=""> <thl< td=""><td>56769</td><td>-</td><td>IVERMECTIN</td><td>28 Days</td><td>35 Days</td><td>Do not use less than 28 days before slaughter for human consumption.</td><td>Do not slaughter for export less than 35 days after final treatment.</td></thl<></thlonging<></thlonging<>	56769	-	IVERMECTIN	28 Days	35 Days	Do not use less than 28 days before slaughter for human consumption.	Do not slaughter for export less than 35 days after final treatment.	
Include Include Include Include Integrated data angular system was realized in 1 and set 1 and	49876		DIAZINON	14 Days		Do not use less than 14days before slaughter for human consumption.	This product does not have an ESI established.	
Birls Nr. Combot FortTARRECION Nr. Max Nr. Max <t< td=""><td>52201</td><td>NUFLOR LA INJECTABLE SOLUTION</td><td>FLORFENICOL</td><td>12 Days</td><td>12 Days</td><td>Do not use less than 12 days before slaughter for human consumption.</td><td>label approval. Before using this product confirm the current ESI from the manufacturer on 1800 810 511</td></t<>	52201	NUFLOR LA INJECTABLE SOLUTION	FLORFENICOL	12 Days	12 Days	Do not use less than 12 days before slaughter for human consumption.	label approval. Before using this product confirm the current ESI from the manufacturer on 1800 810 511	
Image: Note of the second se	60369	NUFLOR PIG PREMIX	FLORFENICOL	12 Days	15 Days	Remove all medicated feed 12 days before slaughter for human consumption.	Do not use less than 15 days before slaughter for export.	
Image: Control (Control (Contro)(Control (Control (Control (Contro)(Control (Control (Control (Co	63865	NV COPHOS B FORTE INJECTION		Nil		Nil	ESI not required	
Image: Note: Concording in Monoce (Colling in Monoce	40323	OTC 200 FOR FEED MEDICATION	OXYTETRACYCLINE	5 days		Remove all medicated feed 5 days before slaughter for human consumption.	This product does not have an ESI established.	
Image: Control in the control in th	52211	OXY-ECO ORAL POWDER		7 Days		Do not use less than 7 days before slaughter for human consumption.		
NACCT CODE INSCITCTOR INSCITCTOR <thinscitctor< th=""> INSCITCTOR INSCITCT</thinscitctor<>	37370	OXYTET 200 MILL PACK		4 days		Do not use less than 4 days before slaughter for human consumption.	This product does not have an ESI established.	
Hard BERNER PREVACE/NE (NACTIVATEDAPROFMELUS PARAUE PARAUENoDomDescent on the second of the seco	33021		MALDISON			Do not use less than 7 days before slaughter for human consumption.		
SIMU SIMU REPS VACUNE (VACUTVATUR) MACOMPLIA SAUGUS No. No. No. No. No. No. No. 6730 NULLICCAM 2004(DSUUTION NON NON NON NON NON NON NOULLIANDAMINANA No. No	61977	PHARMASIN 100 GRANULAR PREMIX	TYLOSIN AS THE PHOSPHATE	Nil		Nil	This product does not have an ESI established.	
NetCron NetCron NetCron NetCron NetCron NetCron NetCron NetCron VCM XCM V10710000000000000000000000000000000000	55215	RESPISURE HPS VACCINE (INACTIVATED)	HAEMOPHILUS PARASUIS	Nil		Nii	0 days	
Image: Construction	67935		MELOXICAM	4 Days	4 Days	Do not use less than4 days before slaughter for human consumption.	Do not slaughter for export less than 4 days after final treatment.	
Index	47451	SACOX 120 MICROGRANULATE	SALINOMYCIN SODIUM	0 Days		Nil		
ADDITVEADDITVETELE SOLUTE ALT)TELE SOLUTE ALT)ALT SOLUTION SAL NIJECTON FOR ALT E AND PIOSResidual of a solution of a s	53304	SALECO 120 GRANULAR	SALINOMYCIN SODIUM	Nil		Nil		
CATTLE AND PGS Since	64658			Nil		Nil	This product does not have an ESI established.	
NGSNorsestablishedNorsestablishedNorsestablishedNorsestablishedNorsestablishedNors <td>68700</td> <td>-</td> <td>FLORFENICOL</td> <td>12 Days</td> <td>18 Days</td> <td>Do not use less than 12 days before slaughter for human consumption.</td> <td>label approval. Before using this product confirm the current ESI from the distributor on (02) 6452 4020</td>	68700	-	FLORFENICOL	12 Days	18 Days	Do not use less than 12 days before slaughter for human consumption.	label approval. Before using this product confirm the current ESI from the distributor on (02) 6452 4020	
In 13178MathematicationMathematicationMathematicationMathematicationMathematication13178XURIM ORAL POWDERTRIMETHOPRIM, SULFADIMIDINE14 DayNot establishedDo not use less than 14 days before slaughter for human consumption.This product does not have an ESI established, for advice on the ESI contact the mandacurer on 1800 of 1806 before using this product.13782TERRAMYCIN I/AL INJECTABLE SOLUTIONOXYTETRACYCLINE24 dayNot established2 daysThis product does not have an ESI established, for advice on the ESI contact the mandacurer on 1800 of 1808 before using this product.4809TERRAMYCIN 100 INJECTABLE SOLUTIONOXYTETRACYCLINE HYDROCHLONDE14 DaysNot establishedDo not use less than 14 days before slaughter for human consumption.This product does not have an ESI established, for advice on the ESI contact the mandacurer on 1800 of 1808 before using this product.81499TERRAMYCIN 100 INJECTABLE SOLUTIONOXYTETRACYCLINE HYDROCHLONDEDo not use less than 14 days before slaughter for human consumption.This product does not have an ESI established.Do not use less than 14 days before slaughter for human consumption.This product does not have an ESI established.81499TERRAMYCIN 100 INJECTABLE SOLUTIONOXYTETRACYCLINE HYDROCHLONDEDo not use less than 14 days before slaughter for human consumption.This product does not have an ESI established.Do not use less than 14 days before slaughter for human consumption.This product does not have an ESI established.81499TERRAMYCIN 100 INJECTABLE SOLUTIONOXYTETRACYCLINE HYDROCHLONDEDo not use less th	35937	-	AZAPERONE			Do not use less than 6 hours before slaughter for human consumption.	-	
In <td>35554</td> <td>SULFA FG PREMIX MEDICATION FOR PIGS</td> <td>SULFADIMIDINE</td> <td>14 days</td> <td></td> <td>Remove all medicated feed 14 days before slaughter for human consumption.</td> <td></td>	35554	SULFA FG PREMIX MEDICATION FOR PIGS	SULFADIMIDINE	14 days		Remove all medicated feed 14 days before slaughter for human consumption.		
Index Index <th< td=""><td>51718</td><td>SULPRIM ORAL POWDER</td><td>TRIMETHOPRIM, SULFADIMIDINE</td><td>14 Days</td><td></td><td>Do not use less than 14 days before slaughter for human consumption.</td><td></td></th<>	51718	SULPRIM ORAL POWDER	TRIMETHOPRIM, SULFADIMIDINE	14 Days		Do not use less than 14 days before slaughter for human consumption.		
HYDROCHLORIDEHYDROCHLORIDEestablishedestablishedestablishedestablishedmanufacturer on 1800 814 883 before using this product.8/1499TETRAMAX SOLUBLE ANTIBIOTIC POWDER POWDERCXYTETRACYCLINE HYDROCHLORIDE7 DaysNot establishedDo not use less than 7 days before slaughter for human consumption.An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade Advice should be sought from Abbed Animal HyDROCHLORIDE35988TETRAVET 100 SOLUBLE ANTIBIOTIC POWDERCXYTETRACYCLINE HYDROCHLORIDE4 daysNot establishedDo not use less than 4 days before slaughter for human consumption.This product does not have an ESI established. For advice on the ESI contact the Manufacturer on (02) 9987 4922 before using this product.67671TIAMULIN 50 MILL PACKTAMUUIN FUMARATE5 DaysNot establishedDo not use less than 5 days before slaughter for human consumption.This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9987 4922 before using this product.77630TIAMULIN FUMARATE 125 SOLUTIONTAMUUIN FUMARATE5 daysNot establishedDo not use less than 5 days before slaughter for human consumption.This product does not have an ESI established. For advice on the ESI contact the manufacturer on (08) 8524 8150 before using this product.77640TIAMULIN FUMARATE 125 SOLUTIONTAMULIN FUMARATE5 daysNot establishedDo not use less than 5 days before slaughter for human consumption.This product does not have an ESI established. For advice on the ES	37823	TERRAMYCIN /LA INJECTABLE SOLUTION	OXYTETRACYCLINE	42 days		42 days		
Image: bit in the stabilised in the	48509	TERRAMYCIN 100 INJECTABLE SOLUTION		14 Days		Do not use less than 14 days before slaughter for human consumption.		
POWDER HYDROCHLORIDE established	81499	TETRAMAX SOLUBLE ANTIBIOTIC POWDER		7 Days		Do not use less than 7 days before slaughter for human consumption.	sufficient to mitigate potential risks to export trade. Trade Advice should be sought from Abbey Animal Health Pty Ltd on (02) 8088 0720 before using this product. SAFEMEAT Provisional Russian ESI of 90 days	
Image: Stabilished Image: Stabilished <th image:="" st<="" td=""><td>35988</td><td></td><td></td><td>4 days</td><td></td><td>Do not use less than 4 days before slaughter for human consumption.</td><td></td></th>	<td>35988</td> <td></td> <td></td> <td>4 days</td> <td></td> <td>Do not use less than 4 days before slaughter for human consumption.</td> <td></td>	35988			4 days		Do not use less than 4 days before slaughter for human consumption.	
Image: Problem in the stabilished	67671	TIAMULIN 50 MILL PACK	TIAMULIN FUMARATE	5 Days		Do not use less than 5 days before slaughter for human consumption.		
62043 TILMAX 200 TILMICOSIN PHOSPHATE TILMICOSIN AS THE TILMICOSIN	37363	TIAMULIN FUMARATE 125 SOLUTION	TIAMULIN FUMARATE	5 days		Do not use less than 5 days before slaughter for human consumption.		
	37366	TIAMULIN FUMARATE 25 MILL PACK	TIAMULIN FUMARATE	5 days		Do not use less than 5 days before slaughter for human consumption.		
	62043			7 Days		Do not slaughter for human consumption within 14 days of the last treatment	This product does not have an ESI established.	

Product						
Number	Product	Active Constituent	Pig WHP	Pig ESI	Meat (Pigs): Withholding Period (detailed)	Meat (Pigs): Export Slaughter Interval (detailed)
56487	TMPS 240 INJECTION	TRIMETHOPRIM, SULFADOXINE	14 Days	Not established	Do not use less than 14 days before slaughter for human consumption	This product does not have an ESI established.
52850	TOLFEDINE CS INJECTION	TOLFENAMIC ACID	6 Days	21 Days	Do not use less than 6 days before slaughter for human consumption.	DO NOT USE less than 21 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from the registrant on (02) 9517 1166 or the APVMA website (http://www.apvma.gov.au/residues/).
83476	TOLFLAM ANTI-INFLAMMATORY INJECTION FOR CATTLE AND PIGS	TOLFENAMIC ACID	6 Days	Not established	Intramuscular administration: DO NOT USE less than 6 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the registration holder on (02) 9517 1166 before using this product.
48032	TRIBACTRAL ANTIBACTERIAL SUSPENSION FOR INJECTION	TRIMETHOPRIM, SULFADIAZINE	28 Days	Not established	28 days	ESI not established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
53733	TRIBACTRAL S ANTIBACTERIAL SOLUTION	SULFADOXINE, TRIMETHOPRIM	14 Days	Not established	Do not use less than 14 days before slaughter for human consumption.	ESI not established. For advice on the ESI contact Jurox Pty Limited on 1800 023 312 before using this product.
36121	TRIBRISSEN PIGLET SUSPENSION	TRIMETHOPRIM, SULFADIAZINE	14 days	Not established	Do not administer less than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Limited on 1800 023312 before using the product.
46533	TRICLOVET ANTISEPTIC AND INSECT REPELLENT SPRAY	TRICLOSAN, DI-N-PROPYL ISOCINCHOMERONATE, N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE, PYRETHRINS	0 Days	Not established	Zero days	This product does not have an ESI established. For advice on the ESI contact the manufacturer on 1800 678 368 before using this product.
37721	TRIMIDINE POWDER	SULFADIMIDINE, TRIMETHOPRIM	14 days	Not established	Do not use less than 14 days before slaughter for human consumption.	This product does not have an ESI established.
52274	TROY REPEL-X INSECTICIDAL AND REPELLENT SPRAY	DIETHYLTOLUAMIDE, PYRETHRINS, PIPERONYL BUTOXIDE, DI-N-PROPYL ISOCINCHOMERONATE, CITRONELLA OIL, N- OCTYL BICYCLOHEPTENE DICARBOXIMIDE	Nil	Not established	Nii	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9604 6266 before using this product.
54573	TYLECO 50 GRANULAR	TYLOSIN AS TYLOSIN PHOSPHATE	Nil	Not established	Nil (at 100g or less tylosinper tonne of final feed).	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
53753	TYLECO SOLUBLE WATER SOLUBLE TYLOSIN TARTRATE	TYLOSIN AS TARTRATE	Nil	Not established	Nil	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (02) 9672 7944 before using this product.
65360	TYLODOX 1000	TYLOSIN AS TYLOSIN PHOSPHATE	0 Days	Not established	Zero days (at 100 g or less of tylosin/tonne of feed).	This product does not have an ESI established. For advice on the ESI contact the manufacture on (03) 9809 4334 before using this product.
64657	TYLODOX 250 G MICROGRANULATE FEED ADDITIVE	TYLOSIN AS TYLOSIN PHOSPHATE	Nil	Not established	Nil (at 100g or less of tylosin /tonne of feed.)	This product does not have an ESI established. For advice on the ESI contact the manufacturer on (03) 9874 1892 before using this product.
67990	TYLOGRAN 250 BMP	TYLOSIN AS TYLOSIN PHOSPHATE	0 Days	Not established	Zero days (at 100g or less of tylosin/tonne of feed).	This product does not have an ESI established.
56235	Tylo-Sol	TYLOSIN AS TARTRATE	Nil	Not established	Nil. Any variation by the prescribing veterinian to the approved dose, frequency duration route disease or target species may require extending the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Prime Animal Health on (03) 9809 4334 before using this product.
82653	TYLOVET 200 TYLOSIN INJECTION	TYLOSIN AS TARTRATE	3 Days	Not established	Do no use less than 3 days before slaughter for human consumption.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from the distributor Abbey Animal Health Pty Ltd on (02) 8088 0720 before using this product.
54362	ULTRAPEN LA PROCAINE PENICILLIN INJECTION FOR CATTLE AND PIGS	PROCAINE PENICILLIN	7 Days	7 Days	Do not use less than 7 days before slaughter for human consumption.	Do not use less than 7 days before slaughter for export.
36317	UTOZYME FOAMING PESSARIES	OXYTETRACYCLINE HYDROCHLORIDE	14 days	Not established	Do not use later than 14 days before slaughter for human consumption.	This product does not have an ESI established. For advice on the ESI contact Jurox Pty Ltd on 1800 023 312 before using this product.
62314	VET ONLY TOLTRACOX COCCIDIOCIDE FOR PIGLETS	TOLTRAZURIL	70 Days	100 Days	Do not use less than 70 days before slaughter for human consumption.	Do not slaughter for export within 100 days of treatment.
81953	ZAMICHLOR SOLUBLE	CHLORTETRACYCLINE HYDROCHLORIDE	7 Days / 5 days	Not established	Therapeutic dose: Do not use less than 7days before slaughter for human consumption. Prophylactic dose: Do not use less than 4 days 5 days before slaughter for human consumption. Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may result in the need to extend the approved withholding period.	An ESI has not been established for this product. Note: observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Zamira Life Sciences Pty Ltd on (07) 3378 3780 before using the product.
55455	ZEROMEC PREMIX FOR PIGS	IVERMECTIN	7 Days	7 Days	Remove all medicated feed 7 days before slaughter for human consumption.	Do not slaughter for export for 7 days after removal of the medicated food
82271	ZEROMEC SOLUBLE WORMER FOR PIGS	IVERMECTIN	7 Days	7 Days	Remove all medicated water 7 days before slaughter for human consumption.	Do not use less than 7 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from Abbey Animal Health Pty Ltd on (02) 6452 4020 or the APVMA website (http://www.apvma.gov.au/residues/).
						(http://www.apvilla.gov.au/residues/).

Last updated: May 2019

Compounds banned for use in food-producing animals

For food safety reasons, the PigPass NVD requires you to declare that the pigs in the consignment were not treated with, or exposed to any compounds banned for use in food producing animals. For a list of these compounds, please consult the APVMA web page "Substances not permitted for use on food-producing animals in Australia" list at: https://apvma.gov.au/node/11626. Compounds on this list must not be administered or used on pigs under any circumstances.