



**PERMIT TO ALLOW MINOR USE OF REGISTERED AND UNREGISTERED
AGVET CHEMICAL PRODUCTS**

**FOR USE AS DISINFECTANTS FOR TREATMENT OF EQUIPMENT, FABRIC AND
SURFACES IN CASE OF AN OUTBREAK OF AFRICAN SWINE FEVER OR
CLASSICAL SWINE FEVER.**

PERMIT NUMBER – PER88135

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 19 DECEMBER 2019 to 31 DECEMBER 2024.

Permit Holder:

DEPARTMENT OF AGRICULTURE AND WATER RESOURCES
18 Marcus Clarke Street
CANBERRA ACT 2601.

Persons who can use the product under this permit:

Owners and employees of affected properties; owners or persons in charge of vehicles or equipment operating in declared areas; employees of the Australian Government and state and territory government Departments of Agriculture, Primary Industries or equivalent. Other personnel as directed by the Chief Veterinary Officer of the jurisdiction in which the disinfectant is to be used.

CONDITIONS OF USE

Products to be used

Registered products:

VIRKON S THE BROAD SPECTRUM VIRUCIDAL BACTERICIDAL FUNGICIDAL DISINFECTANT [APVMA No. 48185]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 494 g/kg POTASSIUM PEROXOMONOSULFATE TRIPLE SALT, 132 g/kg SODIUM DODECYL BENZENE SULFONATE and 15 g/kg SODIUM CHLORIDE as the only active constituents.

VIRKON AQUATIC BROAD SPECTRUM VIRUCIDAL BACTERICIDAL FUNGICIDAL DISINFECTANT [APVMA No. 68503]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 497 g/kg POTASSIUM PEROXOMONOSULFATE and 15 g/kg SODIUM CHLORIDE as the only active constituents.

GEA AG CHLOR DAIRY SANITISER [APVMA No. 84678]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 125 g/L available CHLORINE (Cl) present as SODIUM HYPOCHLORITE as the only active constituent.

RUA-KLENZA RKL 400 LOW FOAM DAIRY DETERGENT [APVMA No. 54229]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 400g/L SODIUM HYDROXIDE as the only active constituents.

TERMINATOR BROAD SPECTRUM DISINFECTANT [APVMA No. 51744]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 150 g/L GLUTARALDEHYDE and 100 g/L QUATERNARY AMMONIUM as the only active constituents.

HY-CLOR AQUATIC PREMIUM CALCIUM HYPOCHLORITE [APVMA No. 84936]

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 700g/kg available CHLORINE (Cl) present as CALCIUM HYPOCHLORITE as the only active constituent.

Unregistered products:

CITRIC ACID, Anhydrous powder.

SODIUM CARBONATE, Anhydrous powder.

SODIUM CARBONATE, Washing soda crystals.

Directions for Use

For use as disinfectants for the treatment of equipment, fabric and surfaces in case of an outbreak of african swine fever or classical swine fever.

- For all situations you **MUST** clean with soap or detergent first and then rinse with water to remove organic matter.
- Ensure all wastewater remains on site.
- Ensure best management practices are followed to prevent or minimise odour and water pollution.
- All users must comply with their relevant state and territory Environmental legislation.

Disinfectant	Rate	Application	Caution
<p>494g/kg of potassium peroxomonosulfate triple salt, 132g/kg of Sodium Dodecyl Benzene Sulfonate, and 15g/kg of sodium chloride (Virkon S)</p> <p>497g/kg Potassium peroxymonosulfate, 49g/kg sulfamic acid and 15g/kg Sodium chloride (Virkon Aquatic)</p>	20g/L	<p>Final dose: 2-3% solution (equivalent to 20g/L).</p> <p>Soak clothes/small items and equipment for at least 10 minutes</p> <p>For surface cleaning, apply at rate of 1-1.5L/m². Do not use high pressure sprays.</p> <p>Decontaminate removed organic matter before disposal.</p>	Mildly corrosive for many metals.
Sodium hypochlorite 125g/L	40ml/L	<p>Final dose: 0.5% solution (equivalent to 40ml/L).</p> <p>Soak clothes, footwear and small equipment for 15-30 minutes.</p> <p>For surfaces apply at a rate of 1-1.5L/m² and soak for 15 minutes on non-porous surfaces and 30 minutes on porous surfaces. Do not use high pressure sprays.</p>	<p>Toxic for eyes and skin – wear protective clothing, mask and gloves. Corrosive for many metals.</p> <p>Corrosive liquid. Harmful if swallowed. Will damage the eyes. Product will irritate the eyes, nose, throat and skin. Avoid contact with eyes, skin and clothing. DO NOT inhale vapour. Ensure adequate ventilation when using. When opening the containing and using the product, wear rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, immediately wash out with water. Wash hands after use. Use clean containers for dispensing. DO NOT mix with</p>

			other chemicals. DO NOT mix with different types of chlorinating chemicals. Mix with water only
Calcium hypochlorite 700g/kg	7.2ml/L	0.5% solution concentration (equivalent to 7.2ml/L) for 10-30 mins. Less stable in warm, sunny conditions above 15°C.	Toxic for eyes and skin – wear protective clothing, mask and gloves. Corrosive for many metals. Corrosive liquid. Harmful if swallowed. Will damage the eyes. Product will irritate the eyes, nose, throat and skin. Avoid contact with eyes, skin and clothing. DO NOT inhale vapour. Ensure adequate ventilation when using. When opening the containing and using the product, wear rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, immediately wash out with water. Wash hands after use. Use clean containers for dispensing. DO NOT mix with other chemicals. DO NOT mix with different types of chlorinating chemicals. Mix with water only.
Sodium hydroxide 400g/L	50ml/L	Final dose: 2% solution (equivalent 50ml/L). Always add the product to the water. Soak clothes, footwear and small equipment for at least 10 minutes. For surfaces apply at a rate of 1-1.5L/m ² and soak for at least 10 minutes. Do not use high pressure sprays.	Do not use in the presence of aluminium or derived alloys. Wear protective (water resistant) clothing, gloves and safety glasses. Corrosive. Product is poisonous if swallowed. The product is alkaline. Avoid contact with eyes, skin and clothing. When preparing and using the wash solution wear elbow-length neoprene gloves and face-shield or goggles. If product or wash solution on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves, face-shield or goggles and contaminated clothing.

Sodium Carbonate Anhydrous	40g/L	4% solution (equivalent to 40g/L) for 20 mins.	Mildly caustic for eyes and skin. Avoid use on aluminium and similar alloys.
Sodium Carbonate Washing Soda	100g/L	10% solution (equivalent to 100g/L) for 30 mins	
Glutaraldehyde (only for AI and ND) with Quaternary Ammonium Compounds (QACs) (Available as 150g/L of glutaraldehyde. Therefore 1 part 15% glutaraldehyde to 7.5 parts water = 2% final conc. $1000/7.5=133\text{ml/L.}$)	133ml/L	2% solution (equivalent to 133ml/L) Clean equipment with soap or detergent first and rinse with water. Immerse for minimum of 10 mins at 35°C and 20 mins at 25°C. Maintain solution at pH>7. Efficacy may be increased by raising the solution temperature e.g. to 60°C.	Avoid eye and skin contact.
Citric Acid	30g product/L	3% solution (equivalent to 30g/L) Non-porous surfaces apply for 15 minutes Porous surfaces apply for 30 minutes	Corrosive. Avoid contact with eyes and skin. Wear protective eye wear.

NOTE: Glutaraldehyde and Quaternary Ammonium Compounds are only available as a combined product. The final concentration is based off the Glutaraldehyde % or ppm

NOTE: EFFICACY of some of the products and proposed uses under this permit has not been thoroughly determined however efficacy is reasonably expected due to the broad spectrum nature of the products.

Safety Directions and Personal Protective Equipment

- Follow label First aid instructions as listed on the product label for registered products. In some cases, the safety directions listed on the label are not sufficiently protective, due to the higher concentrations to be used. Additional Safety Directions are specified in the 'caution' column above.
- For industrial grade chemicals (e.g. citric acid and sodium carbonate) follow *Safety Directions* and First aid instructions as listed on the label and the *Safety Data Sheet* issued by the supplier/manufacturer of the product.
- As a minimum, when opening product containers, preparing spray solutions and during use wear elbow length butyl rubber or PVC gloves, cotton overalls buttoned to the neck and wrist, washable hat, chemical resistant boots and goggles/face mask.
- If products or prepared solutions come into contact with skin, immediately wash the area with soap & water.
- If products or prepared solutions come into contact with eyes, immediately wash it out with water.

Jurisdiction:

ALL States and Territories.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority.